

Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 1 / 13

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Gear oil 75W - 90

Article number: 40 93 2590

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1 2 1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

# 1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

**Company** +49 (0)202 26454-0

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

Contains: Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). EUH208 May

produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

**Environmental hazards**Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards No particular hazards known.

# **SECTION 3: Composition / Information on ingredients**

#### 3.1 Substances

not applicable



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 2 / 13

#### 3.2 Mixtures

#### The product is a mixture.

Range [%]	Substance
20 - < 50	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 4.5	Polysulfides, di-tert-Bu
	CAS: 68937-96-2, EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43-XXXX
	GHS/CLP: Skin Sens. 1: H317 - Aquatic Chronic 3: H412
	SCL [%]: >= 46: Skin Sens. 1B: H317
0.1 - < 1	Magnesium metaborate
	CAS: 13703-82-7, EINECS/ELINCS: 237-235-5, Reg-No.: 01-2120769073-53-XXXX
	GHS/CLP: Skin Sens. 1B: H317
	SCL [%]: > 15: Skin Sens. 1B: H317
1 - < 2.5	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
	EINECS/ELINCS: 931-384-6, Reg-No.: 01-2119493620-38
	GHS/CLP: Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411
	SCL [%]: > 50: Eye Dam. 1: H318, >= 9.39: Skin Sens. 1B: H317, > 50: Eye Irrit. 2: H319

Comment on component parts Contains less than 3% w/w DMSO-extract (only for mineral oils)

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements and R-phrases: see SECTION 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**General information** Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

# 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

# **SECTION 5: Fire-fighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 3 / 13

# 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx).

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

# 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

No special measures necessary if used correctly.

Use only in well-ventilated areas. Use solvent-resistant equipment.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Take off contaminated clothing and wash before reuse.

Contaminated work clothing should not be allowed out of the workplace.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

# 7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 4 / 13

# **SECTION 8: Exposure controls / personal protection**

### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

1-Decene, homopolymer, hydrogenated

CAS: 68037-01-4, EINECS/ELINCS: 500-183-1, Reg-No.: 01-2119486452-34-XXXX

Long-term exposure: 5 mg/m³, OSHA PEL

#### DNEL

Substance

Polysulfides, di-tert-Bu, CAS: 68937-96-2

No DNEL values could be derived for the substance with respect to systemic effects.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day

Industrial, inhalative, Long-term - local effects, 5.58 mg/m<sup>3</sup>

Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m<sup>3</sup>

general population, inhalative, Long-term - local effects, 1.19 mg/m³

general population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

Industrial, dermal, Long-term - systemic effects, 12.5 mg/kg bw/d (AF=120)

Industrial, inhalative, Long-term - systemic effects, 4.28 mg/m³ (AF=30)

general population, dermal, Long-term - systemic effects, 6.25 mg/kg bw/d (AF=240)

general population, oral, Long-term - systemic effects, 0.25 mg/kg bw/d (AF=600)

general population, inhalative, Long-term - systemic effects, 1.09 mg/m³ (AF=60)

Magnesium metaborate, CAS: 13703-82-7

Industrial, dermal, Long-term - systemic effects, 7.78 mg/kg bw/day

Industrial, inhalative, Long-term - systemic effects, 5.49 mg/m<sup>3</sup>

general population, oral, Long-term - systemic effects, 0.28 mg/kg bw/day

general population, dermal, Long-term - systemic effects, 0.278 mg/kg bw/day

general population, inhalative, Long-term - systemic effects, 0.82 mg/m³

# **PNEC**

Substance

Polysulfides, di-tert-Bu, CAS: 68937-96-2

There are no PNEC values established for the substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

oral (food), 9.33 mg/kg food

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

freshwater, 2.4 µg/L (AF=50)

oral (food), 10 mg/kg dw (AF=300)

soil, 1.17 µg/kg dw

sediment (seawater), 1.29 µg/kg dw

sediment (freshwater), 12.9 µg/kg dw

sewage treatment plants (STP), 24.33 mg/L (AF=100)

seawater, 0.24 µg/L (AF=500)



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 5 / 13

Magnesium metaborate, CAS: 13703-82-7
freshwater, 0.05 mg/L
seawater, 0.05 mg/L
sewage treatment plants (STP), 100 mg/L
sediment (freshwater), 1.38 mg/kg sediment dw
sediment (seawater), 1.38 mg/kg sediment dw
oral (food), 1.67 mg/kg food
soil, 0.247 mg/kg soil dw

# 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information

> 0.4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).

**Skin protection** Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Respiratory protection not applicable

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 6 / 13

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColorbrownOdorcharacteristic

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicable

Boiling point [°C]

Flash point [°C]

Flammability (solid, gas) [°C]

Lower explosion limit

No information available.

Upper explosion limit

No information available.

No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

**Density [g/cm³]** 0.86 (DIN 51757) (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water miscible

Solubility other solvents No information available.

Partition coefficient [n-octanol/water] No information available.

Kinematic viscosity 113.9 mm<sup>2</sup>/s (40°C) (DIN 51562)

Relative vapour density

No information available.

Evaporation speed

No information available.

Melting point [°C]

No information available.

Auto-ignition temperature [°C] not applicable

Decomposition temperature [°C] No information available.

Particle characteristics No information available.

9.2 Other information

No information available.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

The product is stable under standard conditions.

# 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

# 10.4 Conditions to avoid

No special measures necessary.



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 7 / 13

# 10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds Strong acids.

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 8 / 13

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

ATE-mix, oral, > 5000 mg/kg bw

Substance

Polysulfides, di-tert-Bu, CAS: 68937-96-2

No information available.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, 5000 mg/kg bw

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

LD50, oral, Rat, 2000 mg/kg

Magnesium metaborate, CAS: 13703-82-7

LD50, oral, Rat, >2000 mg/kg bw (OECD 420)

#### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Polysulfides, di-tert-Bu, CAS: 68937-96-2

No information available.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Magnesium metaborate, CAS: 13703-82-7

LD50, dermal, Rat, 2000 mg/kg bw

#### Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Polysulfides, di-tert-Bu, CAS: 68937-96-2

No information available.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Non-irritant.

Classification was carried out based on substance-specific concentration limits.

Skin corrosion/irritation Toxicological data of complete product are not available.

No classification. Calculation method

Respiratory or skin sensitisation Non-sensitizing. On basis of test data

Specific target organ toxicity -

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — Based on the available information, the classification criteria are not fulfilled.



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 9 / 13

#### repeated exposure

Substance Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day NOAEC, inhalative, Rat, 980 mg/m3 air LOAEL, oral, Rat, 125 mg/kg bw/day Magnesium metaborate, CAS: 13703-82-7

NOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity Based on the available information, the classification criteria are not fulfilled. Reproduction toxicity Based on the available information, the classification criteria are not fulfilled. Carcinogenicity Based on the available information, the classification criteria are not fulfilled. **Aspiration hazard** Based on the available information, the classification criteria are not fulfilled.

**General remarks** 

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

#### 11.2 Information on other hazards

**Endocrine disrupting properties** Contains no ingredients with endocrine-disrupting properties.

Other information none

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product	
Based on the available information, the classification criteria are not fulfilled.	

Substance Polysulfides, di-tert-Bu, CAS: 68937-96-2 EC50, (72h), Algae, 100 mg/L EL50, (48h), Invertebrates, 63 mg/L NOELR, (72h), Algae, 100 mg/L

NOELR, (48h), Invertebrates, 18 mg/L

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 NOELR, (14d), fish, 1 g/L

LL50, (4d), Invertebrates, 10 g/L

LL50, (4d), fish, 100 mg/L

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

LC50, (96h), fish, 24 mg/l

EC50, (48h), Daphnia magna, 91.4 mg/l

Magnesium metaborate, CAS: 13703-82-7

EL50, (72h), Pseudokirchneriella subcapitata, >50mg/l (OECD 201)

EL50, (24h), Daphnia magna, >50mg/l (OECD 202)

LL50, (96h), Oncorhynchus mykiss, >50mg/l (OECD 203)



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 10 / 13

#### 12.2 Persistence and degradability

Behaviour in environment

compartments

Behaviour in sewage plant not determined not determined not determined not determined

# 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

### 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

### **Product**

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 130205\* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\* packaging containing residues of or contaminated by hazardous substances

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not

IMDG

not applicable

Air transport in accordance with IATA not applicable



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 11 / 13

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.4 Packing group

ADR/RID

Transport by land according to

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

**IMDG** 

no

Inland navigation (ADN)

no

Marine transport in accordance with no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable



Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 12 / 13

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers.

Observe employment restrictions for young people.

- VOC (2010/75/CE) not relevant

### 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

### 16.1 Hazard statements (SECTION 3)

H412 Harmful to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

**SWAG**®

Date printed 17.02.2023, Revision 17.02.2023

Version 11.0. Supersedes version: 10.0 Page 13 / 13

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECSU = Median effective concentration ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedure

**Modified position** 

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.