ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 1 / 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

automatic transmission fluid (ATF) Article number: 32600, 32605

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.

P501 Dispose of contents/container to approved disposal company or municipal collection

point.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards No particular hazards known.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 2 / 15

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
25 - 50	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 2.5	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich
	CAS: 398141-87-2, EINECS/ELINCS: 800-172-4, Reg-No.: 01-2119969520-35-XXXX
	GHS/CLP: Aquatic Chronic 2: H411
1 - < 2.5	Methacrylate copolymer
	EINECS/ELINCS: Polymer
	GHS/CLP: Eye Irrit. 2: H319
	SCL [%]: >= 75: Eye Irrit. 2: H319
0.1 - < 0.25	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol
	CAS: 1218787-32-6, EINECS/ELINCS: 620-540-6, Reg-No.: 01-2119510877-33-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1C: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 10
0.1 - < 0.25	N,N-Dimethyl-n-octadecylamine
	CAS: 124-28-7, EINECS/ELINCS: 204-694-8, Reg-No.: 01-2119486676-20
	GHS/CLP: Skin Corr. 1B: H314 - Acute Tox. 4: H302 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410
0.001 - < 0.1	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine
	EINECS/ELINCS: 939-485-7, Reg-No.: 01-2119974116-35
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 100, M-Factor (chronic): 1
0.01 - < 0.1	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol
	CAS: 95-38-5, EINECS/ELINCS: 202-414-9, Reg-No.: 01-2119777867-13-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - STOT RE 2: H373 - Aquatic Acute 1: H400 - Aquatic
	Chronic 1: H410,
	M-Factor (acute): 10, M-Factor (chronic): 1

Comment on component parts Contains less than 3% w/w DMSO-extract (only for mineral oils)

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 3 / 15

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Sulphur oxides (SOx).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water. Use personal protective equipment.

6.2 **Environmental precautions**

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

Methods and material for containment and cleaning up 6.3

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

Precautions for safe handling

No special measures necessary if used correctly.

Use only in well-ventilated areas. Use solvent-resistant equipment.

The product is combustible.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.

Keep container tightly closed.



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 4 / 15

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 5 / 15

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Distillates (petroleum), hydrotreated light paraffinic

CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX

Long-term exposure: 5 mg/m³, ACGIH TLV (OIL MIST)

DNEL

Substance		
N,N-Dimethyl-n-octadecylamine, CAS: 124-28-7		
Industrial, inhalative, Long-term - local effects, 1 mg/m³		
Industrial, inhalative, Long-term - systemic effects, 1 mg/m³		
Industrial, inhalative, Acute - local effects, 1 mg/m³		
general population, oral, Long-term - systemic effects, 0.5 mg/kg bw/d (AF=100)		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³		
Industrial, dermal, Long-term - systemic effects, 0.97 mg/kg bw/day		
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³		
general population, oral, Long-term - systemic effects, 0.74 mg/kg bw/day		
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2		
Industrial, dermal, Long-term - systemic effects, 350 mg/kg bw/day		
Industrial, inhalative, Long-term - systemic effects, 24.7 mg/m³		
general population, dermal, Long-term - systemic effects, 125 mg/kg bw/day		
general population, oral, Long-term - systemic effects, 2.5 mg/kg bw/day		
general population, inhalative, Long-term - systemic effects, 4.35 mg/m³		
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5		
Industrial, dermal, Acute - systemic effects, 2 mg/kg bw/day 2 mg/kg bw/day		
Industrial, inhalative, Acute - systemic effects, 14 mg/m³		
Industrial, inhalative, Long-term - systemic effects, 0.46 mg/m³		
Industrial, dermal, Long-term - systemic effects, 0.06 mg/kg bw/day		
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6		
Industrial, dermal, Long-term - systemic effects, 420 μg/kg bw/day		
Industrial, inhalative, Long-term - systemic effects, 2.96 mg/m³		
general population, inhalative, Long-term - systemic effects, 522 μg/m³		
general population, dermal, Long-term - systemic effects, 150 μg/kg bw/day		
general population, oral, Long-term - systemic effects, 150 μg/kg bw/day		
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine		
Industrial, inhalative, Long-term - systemic effects, 4.9 mg/m³ (AF= 25)		
Industrial, dermal, Long-term - systemic effects, 0.7 mg/kg bw/d (AF= 100)		
general population, oral, Long-term - systemic effects, 250 μg/kg bw/day		
general population, inhalative, Long-term - systemic effects, 0.74 mg/m³ (AF= 50)		
general population, dermal, Long-term - systemic effects, 250 μg/kg bw/day		

PNEC

Substance



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 6 / 15

N,N-Dimethyl-n-octadecylamine, CAS: 124-28-7		
sediment (seawater), 0.125 mg/kg dw (AF=500)		
soil, 1 mg/kg dw (AF=10)		
sewage treatment plants (STP), 130 μg/L (AF= 100)		
sediment (freshwater), 1.25 mg/kg dw (AF=50)		
seawater, 0.03 µg/L (AF= 100)		
freshwater, 0.26 µg/L (AF= 10)		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
oral (food), 9.33 mg/kg food		
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2		
soil, 85.3 µg/kg soil dw		
sediment (seawater), 59.6 μg/kg sediment dw		
sediment (freshwater), 433 µg/kg sediment dw		
sewage treatment plants (STP), 100 mg/L		
seawater, 330 ng/L		
freshwater, 2.4 µg/L		
oral (food), 111.11 mg/kg food		
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5		
sewage treatment plants (STP), 270 μg/L		
seawater, 3 ng/L		
sediment (freshwater), 376 μg/kg sediment dw		
sediment (seawater), 37.6 μg/kg sediment dw		
soil, 75 µg/kg soil dw		
freshwater, 30 ng/L		
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6		
oral (food), 2 mg/kg food		
soil, 5 mg/kg soil dw		
sediment (freshwater), 1.692 mg/kg sediment dw		
sewage treatment plants (STP), 1500 μg/L		
sediment (seawater), 0.169 mg/kg sediment dw		
freshwater, 0.214 μg/L		
seawater, 0.021 µg/L		
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine		
sediment (freshwater), 3.19 mg/kg dw (AF= 1)		
freshwater, 0.84 µg/L (AF= 50)		
sewage treatment plants (STP), 1.3 mg/L (AF= 10)		
sediment (seawater), 0.32 mg/kg dw (AF= 10)		
soil, 1.59 mg/kg dw (AF= 1)		
seawater, 0.084 μg/L (AF= 500)		

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 7 / 15

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information

> 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0.4 mm: Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Respiratory protection not applicable

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColorred

Odor characteristic

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicable

Boiling point [°C]

Flash point [°C]

Flammability (solid, gas) [°C]

Lower explosion limit

Upper explosion limit

No information available.

No information available.

No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0.86 (DIN 51757) (15 °C / 59,0 °F)

Relative density not determined
Bulk density [kg/m³] not applicable
Solubility in water immiscible

Solubility other solvents

Partition coefficient [n-octanol/water]

Kinematic viscosity

Relative vapour density

Evaporation speed

Melting point [°C]

No information available.

No information available.

No information available.

Auto-ignition temperature [°C] not applicable

Decomposition temperature [°C]No information available.Particle characteristicsNo information available.



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 8 / 15

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 9 / 15

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

N,N-Dimethyl-n-octadecylamine, CAS: 124-28-7

LD50, oral, Rat, >2000 mg/kg bw (OECD 401)

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, oral, Rat, 5000 mg/kg bw

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2

LD50, oral, Rat, 10 mL/kg bw

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5

LD50, oral, Rat, 1265 mg/kg

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

LD50, oral, Rat, 1200 - 2000 mg/kg bw

NOEL, oral, Rat, 5 mg/kg bw/day

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine

LD50, oral, Rat, 200 - 2000 mg/kg bw

NOAEL, oral, Rat, 50 mg/kg bw/day

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2

LD10, dermal, Rabbit, 4000 - 8000 mg/kg bw

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

No information available.

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

No information available.

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 10 / 15

Eye, non-irritating

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-irritating

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEC, inhalative, Rat, 980 mg/m³ (subacute), no adverse effect observed

LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.

LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2

NOAEC, oral, Rat, 100 - 500 mg/kg bw/day

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5

NOAEL, oral, Rat, 20 mg/kg bw/day

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

NOAEL, oral, Dog, 13 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

- **Development** No information available.

CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 11 / 15

11.2 Information on other hazards

Endocrine disrupting propertiesContains no ingredients with endocrine-disrupting properties.

Other information none

SECTION 12: Ecological information

12.1 Toxicity

Product		
Based on the available information, the classification criteria are not fulfilled.		
Substance		
N,N-Dimethyl-n-octadecylamine, CAS: 124-28-7		
LC50, (96h), Oncorhynchus mykiss, 0.18 mg/l (OECD 203)		
EC10, (72h), Desmodesmus subspicatus, 4.31 μg/l (OECD 201)		
EC10, (48h), Daphnia magna, 0.593 mg/l (OECD 202)		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
NOELR, (14d), fish, 1 g/L		
LL50, (96h), fish, 100 mg/L		
LL50, (96h), Invertebrates, 10 g/L		
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2		
EC50, (48h), Daphnia magna, 4.6 mg/l (OECD 202)		
NOELR, (72h), Algae, 313 μg/L		
LL50, (96h), Oncorhynchus mykiss, 2.4 mg/l (OECD 203)		
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5		
EC50, (72h), Algae, 16.9 - 30 μg/L		
EC50, (48h), Invertebrates, 163 μg/L		
LC0, (96h), fish, 180 μg/L		
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6		
LC50, (24h), Danio rerio, >0.29 mg/L (OECD 203)		
EC50, (24h), Daphnia magna, 0.21 mg/L (OECD 202)		
EC10, (72h), Daphnia magna, 34.1 μg/L (OECD 201)		
EC10, (21d), Daphnia magna, 10.7 μg/L (OECD 211)		
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine		
LC50, (96h), fish, 2.14 mg/L		
EC50, (72h), Algae, 82.7 - 86.8 μg/L		

12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant not determined Biological degradability not determined

EC10, (21d), Invertebrates, 1.22 - 1.28 mg/L

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 12 / 15

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

130205* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110* packaging containing residues of or contaminated by hazardous substances

150102 150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Page 13 / 15

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

nο

no

Inland navigation (ADN)

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

- VOC (2010/75/CE) not relevant

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 14 / 15

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. ()

Modified position SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2023, Revision 20.02.2023

Version 12.0. Supersedes version: 11.0

Page 15 / 15