

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**High-performance oil for Haldex coupling
Article number: 101170**

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body Call NHS 111 or a doctor

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.

Contains: Amides, C18 (unsaturated). EUH208 May produce an allergic reaction.

2.3 Other hazards

Human health dangers The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Environmental hazards The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.07.2026, Revision 24.07.2026

Version 10.0. Supersedes version: 9.0

Page 2 / 14

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - <50	Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract) CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX GHS/CLP: Asp. Tox. 1: H304
20 - <50	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX GHS/CLP: Asp. Tox. 1: H304
1 - <2,5	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts CAS: 85940-28-9, EINECS/ELINCS: 288-917-4, Reg-No.: 01-2119521201-61-XXXX GHS/CLP: Eye Dam. 1: H318 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411 SCL [%]: 15 - <20: Eye Irrit. 2: H319, 20 - 100: Eye Dam. 1: H318, 15 - 100: Skin Irrit. 2: H315
0,1 - <1	Reaction products of diphenylamine with nonene, branched CAS: 36878-20-3, EINECS/ELINCS: 701-385-4, Reg-No.: 01-2119488911-28-XXXX GHS/CLP: Repr. 2: H361f
0,1 - <1	Amides, C18 (unsaturated) CAS: 301-02-0, EINECS/ELINCS: 931-801-1, Reg-No.: 01-2119560613-41-XXXX GHS/CLP: Skin Sens. 1B: H317 - Aquatic Chronic 3: H412
0,1 - <1	Sulfonic acids, petroleum, calcium salts CAS: 61789-86-4, EINECS/ELINCS: 263-093-9, Reg-No.: 01-2119488992-18-XXXX GHS/CLP: Skin Sens. 1B: H317 SCL [%]: >= 10: Skin Sens. 1B: H317

Comment on component parts

For full text of H-statements: see SECTION 16.
Contains less than 3 % w/w DMSO-extract (only for mineral oils).

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Change soaked clothing.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Consult a doctor immediately.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions
Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Nitrogen oxides (NOx).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.
Forms slippery surfaces with water.
Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.
Use only in well-ventilated areas.
Use solvent-resistant equipment.

Do not eat, drink or smoke when using this product.
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.
Use barrier skin cream.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.
Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with oxidizing agents.
Keep container in a well-ventilated place.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.07.2026, Revision 24.07.2026

Version 10.0. Supersedes version: 9.0

Page 4 / 14

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract)
CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
Long-term exposure: 5 mg/m ³ , oil mist
Short-term exposure (15-minute): 10 mg/m ³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
Industrial, inhalative, Long-term - systemic effects, 6,6 mg/m ³
Industrial, dermal, Long-term - systemic effects, 9,6 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 1,67 mg/m ³
general population, dermal, Long-term - systemic effects, 4,8 mg/kg bw/d
general population, oral, Long-term - systemic effects, 0,19 mg/kg bw/d
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, oral, Long-term - systemic effects, 0.74mg/kg bw/day
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
Industrial, inhalative, Long-term - systemic effects, 11,75 mg/m ³
Industrial, dermal, Long-term - systemic effects, 3,33 mg/kg bw/d
Industrial, dermal, Long-term - local effects, 1,03 mg/cm ²
general population, inhalative, Long-term - systemic effects, 2,9 mg/m ³
general population, dermal, Long-term - systemic effects, 1,667 mg/kg bw/day
general population, dermal, Long-term - local effects, 0,513 mg/cm ²
general population, oral, Long-term - systemic effects, 0,833 mg/kg bw/day
Reaction products of diphenylamine with nonene, branched, CAS: 36878-20-3
Industrial, inhalative, Long-term - systemic effects, 1.41 mg/m ³
Industrial, dermal, Long-term - systemic effects, 4 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 0.35 mg/m ³
general population, dermal, Long-term - systemic effects, 2 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0.2 mg/kg bw/day
Amides, C18 (unsaturated), CAS: 301-02-0
There are no DNEL values established for the substance.

PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
freshwater, 0,002 mg/l (AF=1000)

seawater, 0,0002 mg/l (AF=10000)
sewage treatment plants (STP), 100 mg/l (AF=100)
sediment (freshwater), 19,3 mg/kg dw
sediment (seawater), 1,93 mg/kg dw
soil, 15,7 mg/kg dw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
freshwater, 1 mg/l (AF=1000)
seawater, 1 mg/l (AF=10000)
sewage treatment plants (STP), 1000 mg/l (AF=10)
sediment (freshwater), 226 000 000 mg/kg dw
sediment (seawater), 226 000 000 mg/kg dw
soil, 271 000 000 mg/kg dw
oral (food), 16,667 mg/kg food
Reaction products of diphenylamine with nonene, branched, CAS: 36878-20-3
freshwater, 0.412 mg/L
seawater, 0.041 mg/L
sediment (freshwater), 1 mg/kg sediment dw
sediment (seawater), 0.1 mg/kg sediment dw

8.2 Exposure controls

Additional advice on system design	<p>Ensure adequate ventilation on workstation.</p> <p>Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.</p> <p>General exposure limit for oil mist should be noted.</p>
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	<p>The details concerned are recommendations. Please contact the glove supplier for further information.</p> <p>>0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).</p>
Skin protection	Protective clothing (EN 340)
Other	<p>Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.</p> <p>Do not inhale gases/vapours/aerosols.</p> <p>Avoid contact with eyes and skin.</p>
Respiratory protection	<p>In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection.</p> <p>Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)</p>
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	light brown
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	not determined
Flash point [°C]	208 °C/ 406°F
Flammability	Not highly flammable.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm³]	0,85 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water [g/L]	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	29,94 mm²/s (40°C, 104°F) (DIN 51562)
Relative vapour density	not determined
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined
Particle characteristics	not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.
Reactions with strong alkalies.
Reactions with strong acids.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agent.
See SECTION 10.3.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
LD50, oral, Rat, > 5000 mg/kg bw
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LD50, oral, Rat, 3080 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, oral, Rat, > 5000 mg/kg bw, OECD 401
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
LD50, oral, Rat, >5000 mg/kg bw
Reaction products of diphenylamine with nonene, branched, CAS: 36878-20-3
LD50, oral, Rat, >5,000 mg/kg bw, OECD 401
Amides, C18 (unsaturated), CAS: 301-02-0
LD50, oral, Rat, >5000 mg/kg bw, OECD 423

Acute dermal toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
LD50, dermal, Rabbit, > 5000 mg/kg bw
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LD50, dermal, Rabbit, 20000 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, dermal, Rabbit, > 5000 mg/kg bw
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
LD50, dermal, Rabbit, > 5000 mg/kg bw >5000 mg/kg bw
Amides, C18 (unsaturated), CAS: 301-02-0
LD50, dermal, Rat, >2000 mg/kg bw, OECD 402

Acute inhalational toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LC50, inhalative, Rat, 2.3 mg/L air, 4h
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, > 5 mg/L, 4h
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
LC50, inhalative, Rat, >1.9 mg/L air
Amides, C18 (unsaturated), CAS: 301-02-0
LC50, inhalative, Rat, >2,8 mg/kg bw, OECD 436

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.
No classification due to substance-specific concentration limits.

Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
Eye, Causes serious eye damage.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Eye, non-irritating
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
Eye, no adverse effect observed

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
OECD 404, non-irritating
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
dermal, irritant
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
dermal, non-irritating
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
dermal, no adverse effect observed

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.
May cause an allergic skin reaction.

Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
dermal, non-sensitizing
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
dermal, non-sensitizing
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
dermal, sensitising

Specific target organ toxicity — single exposure Does not contain a relevant substance that meets the classification criteria.

Specific target organ toxicity — repeated exposure Does not contain a relevant substance that meets the classification criteria.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m ³ air
LOAEL, oral, Rat, 125 mg/kg bw/day
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
NOAEL, oral, Rat, 125 mg/kg bw/day
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEC, inhalative, Rat, 980 mg/m ³ air
LOAEL, oral, Rat, 125 mg/kg bw/day
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
NOAEL, oral, Rat, 500 mg/kg bw/day, adverse effect observed
NOAEL, dermal, Rat, 1000 mg/kg bw/day, no adverse effect observed
NOAEC, inhalative, Rat, 881,58 mg/m ³ , no adverse effect observed

Mutagenicity Does not contain a relevant substance that meets the classification criteria.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
in vitro, negative

Reproduction toxicity This product contains one or more substances of categorie Repr. 2 (CLP).
CAS: 36878-20-3
Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEL, oral, Rat, 1000 mg/kg bw/day

Ferdinand Bilstein GmbH + Co. KG

Date printed 24.07.2026, Revision 24.07.2026

Version 10.0. Supersedes version: 9.0

Page 10 / 14

- Development	No information available.
Carcinogenicity	Does not contain a relevant substance that meets the classification criteria.
Aspiration hazard	Based on available data, the classification criteria are not met.
General remarks	Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
11.2.2 Other information	none

SECTION 12: Ecological information

12.1 Toxicity

Ecological data of complete product are not available.
Based on the available information, the classification criteria are not fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
EC50, (48h), > 10000 mg/l (Gammarus pulex), OECD 202
EC50, (72h), Algae, > 100 mg/l
NOEC, (72h), Pseudokirchneriella subcapitata, ≥ 100 mg/l, OECD 201
NOEC, (21d), Daphnia magna, 10 mg/l, OECD 211
LL50, (96h), Fish, > 100 mg/l, OECD 203
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
EC50, (48h), Invertebrates, 5.4 mg/L
EC50, (96h), Algae, 2 - 2.1 mg/L
NOEC, (21d), Invertebrates, 400 - 800 µg/L
LL50, (96h), Oncorhynchus mykiss, 4,5 mg/l
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
EL50, (48h), Invertebrates, > 10000 mg/L, OECD 202
NOEC, (14d), Fish, > 1000 mg/L, OECD 202
NOEC, (21d), Daphnia magna, 10 mg/L, OECD 211
NOEC, (72h), Algae, 100 mg/L, OECD 201
LL50, (4d), Fish, > 100 mg/L
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
NOEC, (72h), Pseudokirchneriella subcapitata, 1000 mg/l
LL50, (96h), Fish, > 10 000 mg/l
EC0, (48h), Daphnia magna, >1000 mg/l
Reaction products of diphenylamine with nonene, branched, CAS: 36878-20-3
LC50, (96h), Oncorhynchus mykiss, >0.001 mg/L, OECD 203
EC50, (48h), Daphnia magna, >100 mg/L, OECD 202
EL50, (21d), Daphnia magna, >10 mg/L, OECD 211
EL50, (72h), Pseudokirchneriella subcapitata, >100 mg/L, OECD 201
NOELR, (34d), Danio rerio, 10 mg/L, OECD 210

12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant not determined

Biological degradability not determined

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing <3% DMSO extract), CAS: 64742-54-7
(28d), 31 %, OECD 301 F, The product is not readily biodegradable.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
(28d), 1 - 4 %, OECD 301 B, The product is not readily biodegradable.
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
(28d), 8,6 %

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

130208*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no



Ferdinand Bilstein GmbH + Co. KG

Date printed 24.07.2026, Revision 24.07.2026

Version 10.0. Supersedes version: 9.0 Page 13 / 14

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75
TRANSPORT-REGULATIONS	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2026, 67th Edition)
NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	none
- VOC (2010/75/CE)	0 %

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H412 Harmful to aquatic life with long lasting effects.
H317 May cause an allergic skin reaction.
H361f Suspected of damaging fertility.

H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.
H315 Causes skin irritation.
H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 EL50 = Median effective loading
 ELINCS = European List of Notified Chemical Substances
 EmS = Emergency Schedules
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 IVIS = In vitro irritation score
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 LL50 = Median lethal loading
 LQ = Limited Quantities
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV®/TWA = Threshold limit value – time-weighted average
 TLV®STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Modified position none