Date printed 10.04.2025, Revision 10.04.2025

Version 14.0. Supersedes version: 13.0



Page 1 / 9

SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	1 Product identifier		
		All-purpose ceramic paste Article number: ADG05534, ADBP550010	
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Lubricant	
1.2.2	2 Uses advised against		
	Ū	None known.	
1.3	Details of the supplier of the safe	ety data sheet	
_	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-144 Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number	Coll NHS 111 or a doctor	
	Advisory body	Call NHS 111 or a doctor +49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance of	or mixture [REGULATION (GB) CLP] No classification.	
2.2	Label elements		
		The product does not require a hazard warning label in accordance with regulation CLP.	
	Hazard pictograms Signal word	none	
	Hazard statements	none	
	Precautionary statements	none	
2.3	Other hazards		
	Human health dangers	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
	Environmental hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	
	Other hazards	none	
SEC	SECTION 3: Composition / Information on ingredients		
3.1	Substances not applicable		
3.2	Mixtures The product is a mixture.		
	Comment on component parts	No dangerous components.	

Date printed 10.04.2025, Revision 10.04.2025

PRINT

Version 14.0. Supersedes version: 13.0

Page 2 / 9

SECTION 4: First aid measures

4.1	Description of first aid measures General information	Take off contaminated clothing and wash before reuse.
	General mormation	Take on containinated clothing and wash before reuse.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Seek medical advice immediately. Do not induce vomiting.
4.2	Most important symptoms and eff	ects, both acute and delayed
		No information available.
4.3	Indication of any immediate medio	cal attention and special treatment needed
	-	Treat symptomatically. Forward this sheet to your doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide
	Extinguishing media that must not be used	Full water jet
5.2	Special hazards arising from the s	substance or mixture
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)
5.3	Advice for firefighters	
		Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measur	es
6.1	1 Personal precautions, protective equipment and emergency procedures	
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for containment and cleaning up	
		Take up mechanically. Take up residues with absorbent material (e.g. sand). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13

Date printed 10.04.2025, Revision 10.04.2025



Version 14.0. Supersedes version: 13.0

Page 3 / 9

No special measures necessary if used correctly. Keep away from all sources of ignition - Refrain from smoking. Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash face and/or hands before break and end of work. Take off contaminated clothing and wash before reuse. 2 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with food and animal food/diet. Keep container it ightly closed. Keep container in a well-ventilated place. Keep in a cool place. Protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 ECTION 8: Exposure controls / personal protection 1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant	7.1 Precautions for safe handling			
Keep away from all sources of ignition - Refrain from smoking. Do not eat, drink or smoke when using this product. Use barrier skin or earn. Wash face and/or hands before break and end of work. Take off contaminated clothing and wash before reuse. Take off contaminated clothing and wash before reuse. 2 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with food and animal food/diet. Keep container inghtly closed. Keep container in a well-wenhitated place. Keep container in a well-wenhitated place. Keep container in a well-wenhitated place. Keep container inghtly closed. Keep container inghtly closed. Keep container use, SECTION 1.2 See product use, SECTION 1.2 EECTION 8: Exposure controls / personal protection Indirediant advice on system design not relevant 1 Control parameters Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant 2 Exposure controls Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (CN 166:2001) Hand protection If there is a risk of splashing: safety glasses (CN 166:2001) Hand protection If there is a risk of splashing: safety glasses (C	. '	Precautions for sale handling	No enocial massures necessary if used correctly	
Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash face and/or hands before break and end of work. Take off contaminated clothing and wash before treuse. 2 Conditions for safe storage, including any incompatibilities Keep ontainer in ground. Do not store together with food and animal food/diet. Keep container it ghtly closed. Keep container in a well-ventilated place. Keep container in a well-ventilated place. Keep in a cool place. Protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 ECTION 8: Exposure controls / personal protection 1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant 2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection 3 Hand protection 4 Hand protection 5 Additional advice on system design Ensure adequate ventilation on workstation. Eye protection 5 He details concerned are recommendations. Please contact the glove supplier for furth information. 5 0,4 mm; butyl trubber, > 120 min (EN 374) 5 Kin protection 6 Other 7 Personal protective exiption and quantity handled. The resistance of this equipment to chemicals should be selected specifically for the working place. Avoid contact with eyes and skin. 8 Respiratory protection Not required under normal conditions. Thermal hazards No information and quantity handled. The resistance of this equipment to chemicals should be ascentiated with the respective supplier. 7 Not conjured with eyes and skin.				
Use barrier skin cream. Wash face and/or hands before break and of work. Take off contaminated clothing and wash before reuse. Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with food and animal food/diet. Keep container if a well-ventilated place. Keep container in a well-ventilated place. Keep container in a well-ventilated place. Keep in a cool place. Protect from heat/overheating. See product use, SECTION 1.2 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) Not relevant Control parameters Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) Not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) Not relevant Set protection The details concerned are recommendations. Please contact the glove supplier for furth information. O 4 mm; butly rubber, > 120 min (EN 374) Skin protection Dign Protection Not required under normal conditions. Not relevant Skin protection Not required under normal conditions. Not information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi				
Take off contaminated clothing and wash before reuse. 2 Conditions for safe storage, inclusing any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with food and animal food/diet. Keep container in a well-ventilated place. Keep container is protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 ECTION 8: Exposure controls / perso-subrotection Intervention of the store together with sto be monitored (UK) not relevant 1 Control parameters Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant 2 Exposure controls 4 Additional advice on system design Safety glasses (EN 166:2001) 4 Insprediention 4 Freuericition 5 Skin protection 1 Respiratory protection			•	
 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with food and animal food/diet. Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place. Protect from heat/overheating. Specific end use(s) See product use, SECTION 1.2 ECTION 8: Exposure controls / personal protection Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant Exposure controls Additional advice on system design Eye protection If there is a risk of splashing: safety glasses (EN 166.2001) Hand protection Skin protection Ingredients (Protection) Hand protection Ingredient in the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection Ingredient in the respective supplier for the orking on concentration and quantity handled. The resistance of this equipment to chemicals should be selected specifically for the working place. Avoid contact with eyes and skin. Respiratory protection No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi 			Wash face and/or hands before break and end of work.	
Keep only in original container. Prevent penetration into the ground. Do not store together with food and animal food/diet. Keep container lightly closed. Keep container in a well-ventilated place. Keep in a cool place. Protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 ECTION 8: Exposure controls / personal protection 1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant 2. Exposure controls Additional advice on system design Eye protection Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for furth information. > 0.4 mm; butly rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be associationed with the respective supplier. Avoid contact with eyes and skin. Respiratory protection No information			Take off contaminated clothing and wash before reuse.	
Keep only in original container. Prevent penetration into the ground. Do not store together with food and animal food/diet. Keep container lightly closed. Keep container in a well-ventilated place. Keep container in a well-ventilated place. Keep in a cool place. Protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 ECTION 8: Exposure controls / personal protection Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant not relevant 2 Exposure controls Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for furth information. > 0, 4 mm; butly rubber, > 120 min (EN 374) Skin protection Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemical should be associated with the respective supplier. Avoid contact with eyes and skin. Respiratory protection No information available. Delimitation and monitoring of the	.2	Conditions for safe storage, inclu	uding any incompatibilities	
Do not store together with food and animal food/diet. Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place. Protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 ECTION 8: Exposure controls / personal protection 1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant 2 Exposure controls Additional advice on system design Export control Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection Iight protective clothing Other Personal protection ad quantity handled. The resistance of this equipment to chemicals should be scentariad with the respective supplier. Avoid contact with eyes and skin. Respiratory protection No information available. Delimitation and monitoring of the Comptoy with applicable environmental regulations limiting discharge to air, water and so				
Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place. Protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant Additional advice on system design Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection If dealis concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; buyl rubber, > 120 min (EN 374) 0,4 mm; buyl rubber, > 120 min (EN 374)			Prevent penetration into the ground.	
Keep container in a well-ventilated place. Keep in a cool place. Protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 SECTION 8: Exposure controls / personal protection 1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant 2 Exposure controls Additional advice on system design Eve protection Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertariated with the respective supplier. Avoid contact with eyes and skin. Respiratory protection No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi			Do not store together with food and animal food/diet.	
Keep in a cool place. Protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 SECTION 8: Exposure controls / personal protection Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant Additional advice on system design Additional advice on system design Exposure controls Additional advice on system design Exposure controls Ensure adequate ventilation on workstation. Eye protection Eye protection Hand protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for furth information. > 0.4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards Not information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi			Keep container tightly closed.	
Protect from heat/overheating. 3 Specific end use(s) See product use, SECTION 1.2 EECTION 8: Exposure controls / personal protection 1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant 2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection Et (1990) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl tubber, > 120 min (EN 374) Skin protection Ight protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi				
3 Specific end use(s) See product use, SECTION 1.2 SECTION 8: Exposure controls / personal protection 1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant Additional advice on system design Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge				
See product use, SECTION 1.2 ECTION 8: Exposure controls / personal protection .1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant 2 Exposure controls Additional advice on system design Eye protection Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi			rolect nom near overheating.	
ECTION 8: Exposure controls / personal protection 1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant 2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. 2.2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soil	.3	Specific end use(s)		
.1 Control parameters Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant .2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection Ight protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soin			See product use, SECTION 1.2	
Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant .2 Exposure controls Ensure adequate ventilation on workstation. Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for furth information. Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and so	ECTION 8: Exposure controls / personal protection			
Ingredients with occupational exposure limits to be monitored (UK) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant Image: Subscript of the exposure controls Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection Ight protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi	EC	ECTION 6. Exposure controls / personal protection		
Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant .2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soin				
Ingredients with occupational exposure limits to be monitored EU (2004/37/EG) not relevant .2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166.2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soin		Control parameters		
.2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soid		Control parameters	ure limits to be monitored (UK)	
.2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Comply with applicable environmental regulations limiting discharge to air, water and soil		Control parameters	ure limits to be monitored (UK)	
Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. No information available. Comply with applicable environmental regulations limiting discharge to air, water and soil		Control parameters Ingredients with occupational exposu	ure limits to be monitored (UK) not relevant	
Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. No information available. Comply with applicable environmental regulations limiting discharge to air, water and soil		Control parameters Ingredients with occupational exposu	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG)	
Additional advice on system design Ensure adequate ventilation on workstation. Eye protection If there is a risk of splashing: safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. No information available. Comply with applicable environmental regulations limiting discharge to air, water and soil		Control parameters Ingredients with occupational exposu	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG)	
Eye protectionIf there is a risk of splashing: safety glasses (EN 166:2001)Hand protectionThe details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374)Skin protectionlight protective clothingOtherPersonal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.Respiratory protectionNot required under normal conditions.Thermal hazardsNo information available.Delimitation and monitoring of theComply with applicable environmental regulations limiting discharge to air, water and soi	.1	Control parameters Ingredients with occupational exposu	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG)	
Hand protection Safety glasses (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soid	.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant	
information. > 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soir	.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation.	
> 0,4 mm; butyl rubber, > 120 min (EN 374) Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi	3.1 3.2	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001)	
Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soid	.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design Eye protection	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further	
depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.Respiratory protection Thermal hazardsNot required under normal conditions. No information available.Delimitation and monitoring of theComply with applicable environmental regulations limiting discharge to air, water and soi	.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design Eye protection	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for furth- information.	
chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.Respiratory protectionNot required under normal conditions.Thermal hazardsNo information available.Delimitation and monitoring of theComply with applicable environmental regulations limiting discharge to air, water and soi	.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design Eye protection Hand protection	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for furthe information. > 0,4 mm; butyl rubber, > 120 min (EN 374)	
Avoid contact with eyes and skin. Respiratory protection Not required under normal conditions. Thermal hazards No information available. Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi	8.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) light protective clothing	
Thermal hazardsNo information available.Delimitation and monitoring of theComply with applicable environmental regulations limiting discharge to air, water and soil	i.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for furthe information. > 0,4 mm; butyl rubber, > 120 min (EN 374) light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to	
Delimitation and monitoring of the Comply with applicable environmental regulations limiting discharge to air, water and soi	.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for furthe information. > 0,4 mm; butyl rubber, > 120 min (EN 374) light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.	
	.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.	
	.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Not required under normal conditions.	
	.1	Control parameters Ingredients with occupational expose Ingredients with occupational expose Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other Respiratory protection Thermal hazards Delimitation and monitoring of the	ure limits to be monitored (UK) not relevant ure limits to be monitored EU (2004/37/EG) not relevant Ensure adequate ventilation on workstation. If there is a risk of splashing: safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for furth information. > 0,4 mm; butyl rubber, > 120 min (EN 374) light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Not required under normal conditions. No information available.	

Date printed 10.04.2025, Revision 10.04.2025



Version 14.0. Supersedes version: 13.0

Page 4 / 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

internation en saere phyerear ane	enenneai prepertiee
Physical state	solid
Form	pasty
Color	white
Odor	odourless
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	not applicable
Flammability	Not highly flammable.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm ³]	1,24 - 1,37 (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	NLGI: 2,5
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 10.04.2025, Revision 10.04.2025



Version 14.0. Supersedes version: 13.0

Page 5 / 9

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product	
oral, Based on the available information, the classification criteria are not fulfilled.	

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Acute inhalational toxicity

Acute inhalational toxicity		
Product		
inhalative, Based	n the available information, the classification criteria are not fulfilled.	
Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.	
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.	
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.	
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.	
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.	
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.	
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.	
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.	
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.	
General remarks		
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.	
1.2 Information on other hazards		
11.2.1 Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
11.2.2 Other information	none	
SECTION 12: Ecological information		

12.1 Toxicity

Based on the available information, the classification criteria are not fulfilled.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

Product

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.



Version 14.0. Supersedes version: 13.0

Page 6 / 9

Date printed 10.04.2025, Revision 10.04.2025

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

		Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
	Waste no. (recommended)	120112* spent waxes and fats
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances
SEC	TION 14: Transport information	
14.1	UN number or ID number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

Date printed 10.04.2025, Revision 10.04.2025




Version 14.0. Supersedes version: 13.0

Page 7 / 9

14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6 t	to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable





Version 14.0. Supersedes version: 13.0

Page 8 / 9

SECTION 15: Regulatory information

15 1 Sof			
15.1 Sal	.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
EEC	C-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707	
- C	comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.	
- Ai	nnex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.	
- Aı	nnex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\ge 0.1\%$ that are restricted.	
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.	
TRA	ANSPORT-REGULATIONS	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)	
NAT	TIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	bserve employment restrictions people	no	
- V	OC (2010/75/CE)	not relevant	
15.2 Che	emical safety assessment	not applicable	
SECTION	N 16: Other information		
16.1 Abl	breviations and acronyms:		
		ADR = Accord européen relatif au transport international des marchandises Dangereuses RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses Par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Chemicals Bureau EEC = European Chemicals Bureau EEC = European Chemicals Guestander Sectore Cas = Chemical Abstracts Service CHP = Glassification and tabelling of Chemicals Substances ELS0 = Median effective loading ELINCS = European Inventory of Existing Commercial Chemical Substances ELS0 = Median effective loading ELINCS = European Isonomic Community EINECS = European Chemicals System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals IIN Martine Code for Dangerous Goods IUCLID = International Maritime Code for Dangerous Goods IUCLID = International Martime Code for Dangerous Goods IUCLID = International Martime Code for Dangerous Goods IUCLID = International Gueventor (Some Chemical Information Database IVIS = In vitro irritation score LCS0 = Lethal concentration, 50% LDS0 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships MARPOL = International Adverse-Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration PBT = Persistent, Adverse Effect Level NOEC = No Ob	

Date printed 10.04.2025, Revision 10.04.2025

BLUE[®] PRINT

Version 14.0. Supersedes version: 13.0

Page 9/9

16.2 Other information Classification procedure Modified position

2.3, 9.1, 11.2, 12.6