

Safety data sheet
according to 1907/2006/EC, Article 31

Page 1/8

Printing date 13.07.2019

Version number 2

Revision: 12.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking**· 1.1 Product identifier****· Trade name: 5W-30 A3/B4 Pro****· 1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· Application of the substance / the mixture

Motor oil multigrade

Viskositätsklasse: SAE 5W-30

· 1.3 Details of the supplier of the safety data sheet**· Manufacturer/Supplier:**

Hengst SE

Nienkamp 55-85

48147 Münster

Germany

T +49 (0)251 20 20 2-0

F +49 (0)251 20 20 2-646

· Further information obtainable from: oil@hengst.com**· 1.4 Emergency telephone number:**

Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240

SECTION 2: Hazards identification**· 2.1 Classification of the substance or mixture****· Classification according to Regulation (EC) No 1272/2008**

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements**· Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms Void**· Signal word** Void**· Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.EU
(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Page 2/8

Printing date 13.07.2019

Version number 2

Revision: 12.07.2019

Trade name: 5W-30 A3/B4 Pro

(Contd. of page 1)

SECTION 3: Composition/information on ingredients**· 3.2 Chemical characterisation: Mixtures****· Description:** Preparation of base oils and additives.**· Dangerous components:**

CAS: 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) ≤1%
EINECS: 283-392-8 esters, zinc salts

⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ Eye
Dam. 1, H318; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315

CAS: 121158-58-5 p-Dodecyl phenol ≤1%

EC number: 310-154-3 ⚠ Repr. 1B, H360F; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318;

Index number: 604-092-00-9 ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410

· Additional information: For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****· 4.1 Description of first aid measures****· General information:** Take affected persons out of danger area and lay down.**· After inhalation:** Supply fresh air; consult doctor in case of complaints.**· After skin contact:** Immediately wash with water and soap and rinse thoroughly.**· After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**· After swallowing:** If symptoms persist consult doctor.**· 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**· 5.1 Extinguishing media****· Suitable extinguishing agents:**CO₂, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water with full jet**· 5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbonmonoxide and Carbondioxide

· 5.3 Advice for firefighters**· Protective equipment:** Wear self-contained respiratory protective device.**· Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

EU

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Page 3/8

Printing date 13.07.2019

Version number 2

Revision: 12.07.2019

Trade name: 5W-30 A3/B4 Pro

(Contd. of page 2)

SECTION 6: Accidental release measures**· 6.1 Personal precautions, protective equipment and emergency procedures***Keep people at a distance and stay on the windward side.***· 6.2 Environmental precautions:***Do not allow product to reach sewage system or any water course.**Inform respective authorities in case of seepage into water course or sewage system.**Do not allow to enter sewers/ surface or ground water.***· 6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Ensure adequate ventilation.***· 6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****· 7.1 Precautions for safe handling***Avoid the formation of oil haze.**Ensure good ventilation/exhaustion at the workplace.**Prevent formation of aerosols.***· Information about fire - and explosion protection: No special measures required.****· 7.2 Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:***Note Regulation on facilities for the storage, filling and handling water-polluting substances. ..***· Information about storage in one common storage facility: Store away from foodstuffs.****· Further information about storage conditions:***Keep container tightly sealed.**Storage in a collecting room is required.***· 7.3 Specific end use(s) No further relevant information available.****SECTION 8: Exposure controls/personal protection****· Additional information about design of technical facilities: No further data; see item 7.****· 8.1 Control parameters****· Ingredients with limit values that require monitoring at the workplace:**

Oilfog and Oilfumes	TLV-8h-TWA	5mg/m ³
	TLV-15min-STEEL	10mg/m ³

· Additional information:*The lists valid during the making were used as basis.*

(Contd. on page 4)

EU

Safety data sheet
according to 1907/2006/EC, Article 31

Page 4/8

Printing date 13.07.2019

Version number 2

Revision: 12.07.2019

Trade name: 5W-30 A3/B4 Pro

(Contd. of page 3)

Used engine oil may contain considered dangerous combustion products which can cause skin cancer. Any skin contact should be avoided by applying personal hygiene measures. (See Chapter 8)

· 8.2 Exposure controls**· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials: Leather gloves**· Eye protection: Goggles recommended during refilling****SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

Form: Fluid

Colour: Brown

· Odour: Characteristic

· Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Undetermined.

· Pour point -42 °C (DIN ISO 3016)

· Flash point: 228 °C (DIN ISO 2592)

(Contd. on page 5)

EU

Safety data sheet
according to 1907/2006/EC, Article 31

Page 5/8

Printing date 13.07.2019

Version number 2

Revision: 12.07.2019

Trade name: 5W-30 A3/B4 Pro

(Contd. of page 4)

- **Flammability (solid, gas):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Not determined.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Explosion limits:**
 - Lower:** 0.6 Vol % (DIN EN 1839)
 - Upper:** 6.5 Vol % (DIN EN 1839)
- **Vapour pressure:** Not determined.
- **Density at 20 °C:** 0.85 g/cm³ (DIN 51757)
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with water:** Not miscible or difficult to mix.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic at 40 °C:** 68 mm²/s (DIN 51562)
- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**
Rat oral : > 2000 mg/kg (Concawe Product dossier 01/54)

(Contd. on page 6)
EU

Safety data sheet
according to 1907/2006/EC, Article 31

Page 6/8

Printing date 13.07.2019

Version number 2

Revision: 12.07.2019

Trade name: 5W-30 A3/B4 Pro

(Contd. of page 5)

CAS: 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Oral LD50 (static) 2,000-4,000 mg/kg (rat)

Dermal LD50 (static) >3,200 mg/kg (rabbit)

• Primary irritant effect:**• Skin corrosion/irritation** Prolonged skin contact it may cause irritations**• Serious eye damage/irritation** Based on available data, the classification criteria are not met.**• Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**• Additional toxicological information:**

Used engine oil may contain considered dangerous combustion products which can cause skin cancer. Any skin contact should be avoided by applying personal hygiene measures. (See Chapter 8)

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

• Germ cell mutagenicity Based on available data, the classification criteria are not met.**• Carcinogenicity** Based on available data, the classification criteria are not met.**• Reproductive toxicity** Based on available data, the classification criteria are not met.**• STOT-single exposure** Based on available data, the classification criteria are not met.**• STOT-repeated exposure** Based on available data, the classification criteria are not met.**• Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****• 12.1 Toxicity****• Aquatic toxicity:**

The product spreads out on the surface of the water. A small fraction of the constituents will be dissolved. It prevents the solution of oxygen and can cause the death of water organism.

• 12.2 Persistence and degradability Not easily biodegradable**• Degree of elimination:****CAS: 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts**

EC50 (static) 10-100 mg/kg (SwF) (OECD Guide-line 203)

• 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not expected.

• 12.4 Mobility in soil No further relevant information available.**• Ecotoxicological effects:****• Remark:** Harmful to fish**• Remark:** The product can easily be separated by an oil separator (skimmer) of the water surface.**• Additional ecological information:****• General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

(Contd. on page 7)
EU

Safety data sheet
according to 1907/2006/EC, Article 31

Page 7/8

Printing date 13.07.2019

Version number 2

Revision: 12.07.2019

Trade name: 5W-30 A3/B4 Pro

(Contd. of page 6)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Delivery of waste oil to officially authorised collectors only.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 8)
EU

Safety data sheet
according to 1907/2006/EC, Article 31

Page 8/8

Printing date 13.07.2019

Version number 2

Revision: 12.07.2019

Trade name: 5W-30 A3/B4 Pro

(Contd. of page 7)

P102 Keep out of reach of children.
P103 Read label before use.
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H331 Toxic if inhaled.
H360F May damage fertility.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product safety**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Repr. 1B: Reproductive toxicity – Category 1B
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **Sources** Concawe Product Dossier No.97/108. Concawe Product Dossier Nn. 01/54.

EU