

# DYNAMIC AUX

513106020K262



### Made for a dual battery system.

VARTA DYNAMIC AUX batteries provide electrical components with seamless functionality. This enables an increase in the length of the start-stop moment and supports comfort functions during engine start. Modern cars consume a significant amount of electricity. Therefore, these cars with a combustion engine often come with two batteries: a regular 12 volt starter battery and an auxiliary battery.

### VEHICLE KEY BENEFITS



#### For backup applications

Offer reliable power storage, ensuring your systems stay operational at all times.



#### EN compliant degassing hole

Ensure safe and efficient gas release, meeting strict safety standards.



#### Flame arrestor

Designed to enhance safety by preventing the ignition of gas, protecting both the battery and the vehicle.



#### Maintenance-free

Maintenance-free battery designed to deliver dependable performance for your vehicle.

# DYNAMIC AUX

513106020K262

## TECHNICAL DATA

Capacity:	<b>13 Ah</b>	CCA:	<b>200 A</b>
Voltage:	<b>12 V</b>	Dimensions (L/W/H):	<b>150/87/146</b>
Case Size:	<b>YTX14</b>	Short Code:	<b>AUX14</b>
UK-Code:	<b>YTX14</b>	ETN:	<b>513106020</b>
Weight filled:	<b>4,6 kg</b>	Base Hold-down:	<b>B00</b>

## DRAWINGS



