

SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023



Version 14.0. Supersedes version: 13.0 Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

antifreeze

Article number: 99 92 2268, 99 90 5011, 99 90 1089, 99 92 2270, 20 93

1276, 30 97 7089

UFI: J45Y-00PW-W00A-SVAJ

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

Company +49 (0)202 26454-0

SECTION 2: Hazards identification

Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H302 Harmful if swallowed.

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

Label elements

Hazard pictograms

The product is required to be labelled in accordance with EC-Directives.



Signal word WARNING Contains: Ethylene glycol

Hazard statements H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P260 Do not breathe vapours.

P270 Do no eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.

P314 Get medical advice / attention if you feel unwell.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

SWAG®

SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 2 / 13

2.3 Other hazards

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

| Range [%] | Substance |
|-------------|---|
| 90 - 95 | Ethylene glycol |
| | CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX |
| | GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373 |
| 1 - < 2.5 | Potassium isononanoate |
| | CAS: 84501-71-3, EINECS/ELINCS: 282-991-1 |
| | GHS/CLP: Skin Irrit. 2: H315 - Eye Irrit. 2: H319 |
| 0.1 - < 0.3 | Methyl-1H-benzotriazole |
| | CAS: 29385-43-1, EINECS/ELINCS: 249-596-6, Reg-No.: 01-2119979081-35-XXXX |
| | GHS/CLP: Acute Tox. 4: H302 - Aquatic Chronic 2: H411 - Repr. 2: H361d |

Comment on component parts All chemical substances in this material are included on or exempted from listing on the

IECSC Inventory.

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

SWAG°

SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 3 / 13

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2



SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 4 / 13

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX

Long-term exposure: 20 ppm, 52 mg/m³, Vapour, particulate: 10 mg/m³

Short-term exposure (15-minute): 40 ppm, 104 mg/m³

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX

Eight hours: 20 ppm, 52 mg/m³, H

Short-term (15-minute): 40 ppm, 104 mg/m³

DNEL

| Substan | |
|---------|--|
| | |

Ethylene glycol, CAS: 107-21-1

Industrial, dermal, Long-term - systemic effects, 106 mg/m³

Industrial, inhalative, Long-term - local effects, 35 mg/m³

general population, dermal, Long-term - systemic effects, 53 mg/m³

general population, inhalative, Long-term - local effects, 7 mg/m3

Methyl-1H-benzotriazole, CAS: 29385-43-1

Industrial, dermal, Long-term - systemic effects, 300 µg/kg bw/day

Industrial, inhalative, Long-term - systemic effects, 21.2 mg/m³

general population, oral, Long-term - systemic effects, 10 µg/kg bw/day

general population, dermal, Long-term - systemic effects, 10 µg/kg bw/day

general population, inhalative, Long-term - systemic effects, 350 µg/m³

PNEC

Substance

Ethylene glycol, CAS: 107-21-1

freshwater, 10 mg/L

seawater, 1 mg/L

sediment (freshwater), 37 mg/kg

soil, 1.53 mg/kg

sewage treatment plants (STP), 199.5 mg/l (AF=10)

sediment (seawater), 3.7 mg/kg

Methyl-1H-benzotriazole, CAS: 29385-43-1

soil, 18.7 µg/kg soil dw

sediment (seawater), 292 µg/kg sediment dw

sediment (freshwater), 117 µg/kg sediment dw

sewage treatment plants (STP), 39.4 mg/L

seawater, 20 µg/L

freshwater, 8 µg/L

SWAG[®]

SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 5 / 13

8.2 Exposure controls

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection If there is a risk of splashing:

safety glasses

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information

> 0.4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin. Do not inhale vapours.

Respiratory protection Respiratory protection mask in the ev

Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, filter P2. (DIN EN 143)

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColordark blueOdormild

Odour threshold not relevant

pH-value ca. 7.5 - 8.5 (50%)
pH-value [1%] No information available.
Boiling point [°C] No information available.
Flash point [°C] > 100 (DIN 51758))
Flammability No information available.
Lower explosion limit No information available.
Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] < 0.01 kPa (20°C)

Density [g/cm³] ca. 1.12 (DIN 51 757) (20 °C / 68,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water miscible

Solubility other solvents No information available. Partition coefficient [n-octanol/water] No information available. Kinematic viscosity No information available. Relative vapour density No information available. **Evaporation speed** No information available. Melting point [°C] No information available. Auto-ignition temperature [°C] No information available. Decomposition temperature [°C] No information available. Particle characteristics No information available.



SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 6 / 13

9.2 Other information

Pour point: ~-38 (50% in H2O) °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Oxidizing agent Acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.



SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 7 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

ATE-mix, oral, 538.7 mg/kg bw

Substance

Ethylene glycol, CAS: 107-21-1

LD50, oral, Rat, 7712 mg/kg bw

ATE, oral, 500 mg/kg (Acute Tox. 4)

Methyl-1H-benzotriazole, CAS: 29385-43-1

LD50, oral, Rat, 720 mg/kg

NOAEL, oral, Rat, 150 mg/kg bw/day

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

LD50, dermal, mouse, > 3500 mg/kg bw

Methyl-1H-benzotriazole, CAS: 29385-43-1

LD50, dermal, Rabbit, 2000 mg/kg bw

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

LC50, inhalative, Rat, > 2.5 mg/L air, 6h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

Eye, Rabbit, In vivo study, non-irritating

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

dermal, Rabbit, In vivo study, non-irritating

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

dermal, Guinea pig, In vivo study, non-sensitizing

SWAG[®]

Page 8 / 13

SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Toxicological data of complete product are not available.

May cause damage to organs through prolonged or repeated exposure.

Calculation method

Substance

Ethylene glycol, CAS: 107-21-1

NOAEL, dermal, Dog, 2200 mg/kg bw/day, adverse effect observed

NOEL, oral, Rat, 150 mg/kg bw/day, OECD 408, adverse effect observed

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

in vitro, OECD 471, no adverse effect observed

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Ethylene glycol, CAS: 107-21-1

NOAEL, oral, Rat, > 1000 mg/kg bw/day, no adverse effect observed

- Development

Substance

Ethylene glycol, CAS: 107-21-1

NOAEL, oral, Rat, 500 mg/kg bw/day, no adverse effect observed

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, no adverse effect observed

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

No information available.

11.2.2 Other information

none



SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 9 / 13

SECTION 12: Ecological information

12.1 Toxicity

| Product | | |
|--|--|--|
| Based on the available information, the classification criteria are not fulfilled. | | |
| | | |
| Substance | | |
| Ethylene glycol, CAS: 107-21-1 | | |
| LC50, (28d), fish, 1.5 g/L | | |
| LC50, (3d), fish, 72.86 g/L | | |
| EC50, (4d), Invertebrates, 3.536 - 13 g/L | | |
| EC50, (21d), Invertebrates, 33.911 g/L | | |
| EC50, (48h), Invertebrates, 100 mg/L | | |
| Methyl-1H-benzotriazole, CAS: 29385-43-1 | | |
| LC50, (96h), fish, 55 - 180 mg/L | | |
| EC50, (72h), Algae, 29 - 75 mg/L | | |
| EC50, (48h), Invertebrates, 8.58 - 15.8 mg/L | | |
| NOEC, (21d), Invertebrates, 18.4 mg/L | | |

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined Biological degradability Biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 10 / 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 160114*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

150104

150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

SWAG[®]

SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 11 / 13

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. $3,\,75$

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the

following restrictions.

3

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers.

Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 12 / 13

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H361d Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects.

H373 May cause damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

(Calculation method)

SWAG®

SWAG Autoteile GmbH 42117 Wuppertal

Date printed 30.06.2023, Revision 30.06.2023

Version 14.0. Supersedes version: 13.0 Page 13 / 13

Modified position SECTION 3 been added: Potassium isononanoate

SECTION 3 deleted: potassium 2-ethylhexanoate

SECTION 2 deleted: P305+P351+P338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 2 deleted: P337+P313 If eye irritation persists: Get medical advice / attention.

SECTION 2 deleted: P280 Wear eye protection / face protection.

SECTION 2 deleted: H319 Causes serious eye irritation.

SECTION 2 deleted: Eye Irrit. 2 SECTION 11 deleted: Irritant

SECTION 11 been added: Based on the available information, the classification criteria are

not fulfilled.