Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0 Page 1 / 12

For all uses not specified in SECTION 1.2.1 1.3 Details of the supplier of the safet Jata sheet Company Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-00 Fax+49 2333 911-444 Homepage www.febi.com E-mail info@febi.com Fachnical information info@febi.com Safety Data Sheet info@febi.com Info@febi.com Advisory body Ferdinauder Hausen Hause	1.1	Product identifier		
1.1.1 Relevant uses Engine oil 1.2.2 Uses advised against For all uses not specified in SECTION 1.2.1 1.3.1 Details of the supplier of the saft-tata sheet For all uses not specified in SECTION 1.2.1 1.3.2 Details of the supplier of the saft-tata sheet Fordinand Bilstein GmBH + Co. KG Company Ferdinand Bilstein GmBH + Co. KG Wilhelmstr. 47 S8206 Ennepeia) (GERMANY Phone - 402 333 911-044 Monopage www.fobi.com Fax + 49 2333 911-04 Fax + 49 (0)89-19240 (24h) (English) Address enquiries to info@febi.com Safety Data Sheet info@febi.com Advisory body +49 (0)89-19240 (24h) (English) Subjection of the substance of the substance of the required to be labelled in accordance with regulation CLP. No classification. 2.2 Label elements Inone Hazard pictograms none Signal word none Signal word none Hazard statements none Signal identified none Precautionary statements none Signal identified none Hazard statements none Signal identid magers Frequent persistent contact with			Article number: 32936, 32937, 32938, 32939, 32940, 72936, 72938, 72939, 77940	
Engine oil 1.22 Uses advised against For all uses not specified in SECTION 1.2.1 1.3 Details of the supplier of the safety data sheet Company Company Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 SB266 Ennepetal / GERMANY Phone +49 2333 911-04 Fax +49 2333 911-04 Homepage www.febi.com Fax +49 2333 911-04 Fax +49 2333 911-04 Fax +49 2333 911-04 Fax +49 2333 911-04 Homepage www.febi.com Address enquiries to Technical information info@febi.com Technical information info@febi.com Safety Data Sheet info@febi.com Advisory body +49 (0)89-19240 (24h) (English) SEUTURIE Hazards identification Setification of the substance / mixture [REGULATION (GB) CLP] No classification. No classification. Label elements The product is required to be labelled in accordance with regulation CLP. Hazard pictograms none Signal word none Hazard statements none Precautionary statements none Signal word none Precautionary statements none Signal word none Precautionary statements none Signal word none Signal word <td>1.2</td> <td>Relevant identified uses of th</td> <td>e substance or mixture and uses advised against</td>	1.2	Relevant identified uses of th	e substance or mixture and uses advised against	
1.2.2 Uses advised against For all uses not specified in SECTION 1.2.1 1.3 Details of the supplier of the safety data sheet For all uses not specified in SECTION 1.2.1 1.4.2 Details of the supplier of the safety data sheet Fordmand Billstin GmbH + Co. KG Wilhelmstr. 47 SB205 Emergenetal / GERMANY Phone +49 2333 911-444 Phomepage www.febi.com Fachnical information info@febi.com Safety Data Sheet info@febi.com Safety Data Sheet info@febi.com Advisory body +49 (0)89-19240 (24h) (English) Safety Data Sheet No classification of the substance Advisory body V: Hazards identification Safety Data Sheet Interproduct is required to be labelled in accordance with regulation CLP. Advisory body none Advisory body Advisory body <td col<="" td=""><td>1.2.1</td><td>Relevant uses</td><td></td></td>	<td>1.2.1</td> <td>Relevant uses</td> <td></td>	1.2.1	Relevant uses	
Image: Section 1.2.1 Image: Section 2.2.1 Image: Section 2.2.2 Company Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 S8266 Ennepeela/ GERMANY Phone 449 2333 911-0 Fax 449 233 Fax 449 2333 911-0 Fax 449 233 Fax 449 2333 911-0 Fax 449 233 Fax 449 233			Engine oil	
1.3 Details of the supplier of the safet Company Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Encepheral / GERMANY Phone +49 2333 911-0 Fax +40 2333 911-0 Fax +40 2333 911-0 Fax +40 2333 911-0 Stater Data Sheet info@febi.com Address enquiries to info@febi.com Advisory body +49 (0)89-19240 (24h) (English) Stater Data Sheet No classification. 21 Classification of the substance file (REGULATION (GB) CLP) No classification. No classification. 22 Label elements The product is required to be labelled in accordance with regulation CLP. Hazard pictograms none None Signal word none None	1.2.2	2 Uses advised against		
Company Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 S8256 Ennopetal / GERMANY Phone 449 2333 911-0 Fax 449 2333 911-04 Fax 449 2333 911-04 Homepage www.febi.com Eraw and info@febi.com Address enquiries to Technical information info@febi.com Safety Data Sheet info@febi.com Safety Data Sheet info@febi.com Advisory body +49 (0)89-19240 (24h) (English) SECTION 2: Hazards identification info@febi.com 2.1 Classification of the substance or mixture [REGULATION (GB) CLP] No classification. 2.2 Label elements Hazard pictograms none Signal word none Hazard statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Frequent persistent contact with the skin can cause skin irritaton. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		-	For all uses not specified in SECTION 1.2.1	
Company Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 S8256 Ennopetal / GERMANY Phone 449 2333 911-0 Fax 449 2333 911-04 Fax 449 2333 911-04 Homepage www.febi.com Eraw and info@febi.com Address enquiries to Technical information info@febi.com Safety Data Sheet info@febi.com Safety Data Sheet info@febi.com Advisory body +49 (0)89-19240 (24h) (English) SECTION 2: Hazards identification info@febi.com 2.1 Classification of the substance or mixture [REGULATION (GB) CLP] No classification. 2.2 Label elements Hazard pictograms none Signal word none Hazard statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Frequent persistent contact with the skin can cause skin irritaton. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.	13	Details of the supplier of the	safety data sheet	
Technical information Safety Data Sheetinfo@febi.com14Emergency telephone number Advisory body+49 (0)89-19240 (24h) (English)SECTION 2: Hazards identificationStatistication of the substance or mixture [REGULATION (GB) CLP] No classification.Classification of the substance or mixture [REGULATION (GB) CLP] No classification.Statistication of the substance or mixture [REGULATION (GB) CLP] No classification.2.2Label elementsThe product is required to be labelled in accordance with regulation CLP.Hazard pictogramsnoneSignal wordnoneHazard statementsnoneSpecial labellingEUH210 Safety data sheet available on request.2.3Other hazardsHuman health dangersFrequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazardsDoes not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.			Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com	
Safety Data Sheet info@febi.com 1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English) SECTION 2: Hazards identification substance relevance in the substance in the sub		Address enquiries to		
1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English) SECTION 2: Hazards identification Section 2: Hazards identification Classification of the substance or mixture [REGULATION (GB) CLP] No classification. 2.1 Label elements The product is required to be labelled in accordance with regulation CLP. Hazard pictograms none Signal word none Hazard statements none Precautionary statements none Special labelling EUH210 Safety data sheet available on request. Contains no ingredients with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		Technical information	info@febi.com	
Advisory body +49 (0)89-19240 (24h) (English) SECTION 2: Hazards identification 2.1 Classification of the substance or mixture [REGULATION (GB) CLP] No classification. 2.2 Label elements The product is required to be labelled in accordance with regulation CLP. Hazard pictograms none Signal word none Hazard statements none Precautionary statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Human health dangers Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		Safety Data Sheet	info@febi.com	
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture [REGULATION (GB) CLP] No classification. 2.2 Label elements The product is required to be labelled in accordance with regulation CLP. Hazard pictograms none Signal word none Hazard statements none Precautionary statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Human health dangers Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.	1.4	Emergency telephone numbe	r	
2.1 Classification of the substance or mixture [REGULATION (GB) CLP] No classification. 2.2 Label elements The product is required to be labelled in accordance with regulation CLP. Hazard pictograms none Signal word none Hazard statements none Precautionary statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Human health dangers Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		Advisory body	+49 (0)89-19240 (24h) (English)	
2.2 Label elements The product is required to be labelled in accordance with regulation CLP. Hazard pictograms none Signal word none Hazard statements none Precautionary statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.	SEC	TION 2: Hazards identification		
Absolution No classification. 2.2 Label elements The product is required to be labelled in accordance with regulation CLP. Hazard pictograms none Signal word none Hazard statements none Precautionary statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.	2.1	Classification of the substan	ce or mixture [REGULATION (GB) CLP]	
Hazard pictograms none Signal word none Hazard statements none Precautionary statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Human health dangers Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards				
Hazard pictograms none Signal word none Hazard statements none Precautionary statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Human health dangers Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards	22	l abel elements		
Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnoneSpecial labellingEUH210 Safety data sheet available on request.2.3Other hazardsHuman health dangersFrequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs.Environmental hazardsDoes not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.			The product is required to be labelled in accordance with regulation CLP.	
Hazard statements none Precautionary statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Human health dangers Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		Hazard pictograms		
Precautionary statements none Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Human health dangers Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		Signal word	none	
Special labelling EUH210 Safety data sheet available on request. 2.3 Other hazards Human health dangers Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		Hazard statements	none	
2.3 Other hazards Human health dangers Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		Precautionary statements	none	
Human health dangersFrequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs.Environmental hazardsDoes not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.		Special labelling	EUH210 Safety data sheet available on request.	
Environmental hazards If swallowed or in the event of vomiting, risk of product entering the lungs. Environmental hazards Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.	2.3	Other hazards		
Contains no ingredients with endocrine-disrupting properties.		Human health dangers		
Other hazards none		Environmental hazards		

- 3.1 Substances
 - not applicable

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0

Page 2 / 12

3.2 Mixtures

	The product is a r	nixture.	
	Range [%]	Substance	
	30 - < 60	Destillates (petrole	um), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-X GHS/CLP: Asp. Tox. 1: H304		
	1 - < 2.5	Phenol, dodecyl-, s	sulfoniert, Carbonate, Calciumsalze, überbasisch
		CAS: 68784-26-9,	EINECS/ELINCS: 272-234-3
		GHS/CLP: Aquatic	Chronic 4: H413
	1 - < 2.5		acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts
			EINECS/ELINCS: 272-238-5, Reg-No.: 01-2119657973-23-XXXX
		GHS/CLP: Eye Da	m. 1: H318 - Aquatic Chronic 2: H411
	Comment on com	ponent parts	All chemical substances in this material are included on or exempted from listing on the IECSC Inventory. Substances of Very High Concern - SVHC: substances are not contained or are below 0.1% For full text of H-statements: see SECTION 16.
EC	TION 4: First aid	measures	
1	Description of f	irst aid measures	
•	General informati		
	General informati	on	Take off contaminated clothing and wash before reuse.
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact		In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion		Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.
2	Most important	symptoms and e	ffects, both acute and delayed
_			No information available.
3	Indication of an	v immediate med	lical attention and special treatment needed
		-	Treat symptomatically. Forward this sheet to your doctor.
EC	TION 5: Fire-figh	ting measures	
1	Extinguishing n	nedia	
1			Foam, dry powder, water spray jet, carbon dioxide
1	Extinguishing n Suitable extinguis Extinguishing me be used	shing media	Foam, dry powder, water spray jet, carbon dioxide Full water jet
	Suitable extinguis Extinguishing me be used	shing media dia that must not	
	Suitable extinguis Extinguishing me be used	shing media dia that must not	Full water jet
1 2	Suitable extinguis Extinguishing me be used	shing media dia that must not	Full water jet
	Suitable extinguis Extinguishing me be used	shing media dia that must not	Full water jet Substance or mixture Not combusted hydrocarbons.
	Suitable extinguis Extinguishing me be used	shing media dia that must not	Full water jet substance or mixture Not combusted hydrocarbons. Risk of formation of toxic pyrolysis products.

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0

Page 3 / 12

5.3	Advice for firefighters	
	,	Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	FION 6: Accidental release measur	es
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	See SECTION 8+13
		See SECTION 0+13
CECT	FION 7. Handling and storage	
SEC	ΓION 7: Handling and storage	
	FION 7: Handling and storage Precautions for safe handling	
		Avoid formation of aerosols.
		Avoid formation of aerosols. Do not smoke. Fire class (DIN EN 2): B
		Do not smoke.
		Do not smoke. Fire class (DIN EN 2): B Do not eat, drink or smoke when using this product. Use barrier skin cream.
		Do not smoke. Fire class (DIN EN 2): B Do not eat, drink or smoke when using this product.
7.1		Do not smoke. Fire class (DIN EN 2): B Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets.
7.1	Precautions for safe handling	Do not smoke. Fire class (DIN EN 2): B Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets.
7.1	Precautions for safe handling	Do not smoke. Fire class (DIN EN 2): B Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. ding any incompatibilities Keep only in original container.
7.1	Precautions for safe handling	Do not smoke. Fire class (DIN EN 2): B Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. ding any incompatibilities Keep only in original container. Prevent penetration into the ground.
7.1	Precautions for safe handling	Do not smoke. Fire class (DIN EN 2): B Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. ding any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with oxidizing agents. Keep container tightly closed.

Safety Data Sheet (UK REACH) (GB) Engine Oil 5W - 40

Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0

Page 4 / 12

SECTION 8: Exposure controls / personal protection

8.1 **Control parameters**

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
Long-term exposure: 5 mg/m ³ , oil mist
Short-term exposure (15-minute): 10 mg/m ³

DNEL

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
Industrial, inhalative, Acute - systemic effects, 496.4 mg/m ³
Industrial, dermal, Long-term - systemic effects, 10.42 mg/kg bw/d
Industrial, dermal, Acute - systemic effects, 100 mg/kg bw/d
Industrial, inhalative, Long-term - systemic effects, 2.93 mg/m ³
general population, oral, Long-term - systemic effects, 0.21 mg/kg bw/d
general population, inhalative, Acute - systemic effects, 11.75 mg/m ³
general population, inhalative, Acute - systemic effects, 198.6 mg/m ³
general population, dermal, Acute - systemic effects, 50 mg/kg bw/d
general population, oral, Acute - systemic effects, 29 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 2.1 mg/kg bw/d
Phenol, dodecyl-, sulfoniert, Carbonate, Calciumsalze, überbasisch, CAS: 68784-26-9
There are no DNEL values established for the substance.

PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9.33 mg/kg
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
oral (food), 8.33 mg/kg
soil, 0.0548 mg/kg
sewage treatment plants (STP), 3.8 mg/l
sediment (freshwater), 0.0701 mg/l
sediment (seawater), 0.00701 mg/l
freshwater, 0.0040 mg/l
seawater, 0.0046 mg/l
Phenol, dodecyl-, sulfoniert, Carbonate, Calciumsalze, überbasisch, CAS: 68784-26-9
There are no PNEC values established for the substance.

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0

Page 5 / 12

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
Eye protection	If there is a risk of splashing: safety glasses
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.11 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

internation en saere phyerear ane	
Physical state	liquid
Form	liquid
Color	yellow-brown
Odor	characteristic
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	> 200 (ISO 2592)
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	< 0.01 (20°C)
Density [g/cm³]	0.858 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	> 20.5 mm²/s (40° C) ca. 13.5 - 15 mm²/s (100°C) (DIN 51562/T1)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	ca36(ISO 3016)
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0 Page 6 / 12

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

In the case of heating following (decomposition) products may occure: Hydrogen sulfide (H2S).

Date printed 06.03.2023, Revision 06.03.2023

Version 12.0. Supersedes version: 11.0

Page 7 / 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
LD50, oral, Rat, 2900 - 3400 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6 LD50, dermal, Rabbit, 5000 mg/kg bw

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye dama	ge/irritation	On basis of test data Non-irritant. Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irri	itation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or ski	n sensitisation	Based on the available information, the classification criteria are not fulfilled. Calculation method
Specific target org single exposure	gan toxicity —	Based on the available information, the classification criteria are not fulfilled.
Specific target org		Based on the available information, the classification criteria are not fulfilled.
	Substance	

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m ³ air
LOAEL, oral, Rat, 125 mg/kg bw/day
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
NOAEL, oral, Rat, 125 mg/kg bw/day

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0

Page 8 / 12

Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	No classification. Calculation method
- Fertility	
Substa	ance
Destilla	ates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAE	L, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
- Development	
Substa	ance
Destill	ates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAE	L, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.
Information on other hazards	
Endocrine disrupting pro	perties Contains no ingredients with endocrine-disrupting properties.
Other information	none
TION 12: Ecological info	ormation

12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0 Page

Page 9 / 12

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	Can be separated out mechanically in purification plants.
Biological degradability	The product is only slightly biodegradable. Slightly eliminable from water.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	In according to RoHS! Coordinate disposal with the disposal contractor/authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0 Page 10 / 12

SECTION 14: Transport information				
14.1	UN number or ID number Transport by land according to ADR/RID	not applicable		
	Inland navigation (ADN)	not applicable		
	Marine transport in accordance with IMDG	not applicable		
	Air transport in accordance with IATA	not applicable		
14.2	UN proper shipping name			
	Transport by land according to ADR/RID	NO DANGEROUS GOODS		
	Inland navigation (ADN)	NO DANGEROUS GOODS		
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"		
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"		
14.3	Transport hazard class(es)			
	Transport by land according to ADR/RID	not applicable		
	Inland navigation (ADN)	not applicable		
	Marine transport in accordance with IMDG	not applicable		
	Air transport in accordance with IATA	not applicable		
14.4	Packing group Transport by land according to ADR/RID	not applicable		
	Inland navigation (ADN)	not applicable		
	Marine transport in accordance with IMDG	not applicable		

Air transport in accordance with IATA not applicable

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0 Page 11 / 12

14.5	Environmental hazards				
	Transport by land according to ADR/RID	no			
	Inland navigation (ADN)	no			
	Marine transport in accordance with IMDG	no			
	Air transport in accordance with IATA	no			
14.6	Special precautions for user				
	Relevant information under SECTION 6	to 8.			
14.7	Maritime transport in bulk accord	ing to IMO instruments			
	not applicable				
SEC	SECTION 15: Regulatory information				
15.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture			
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014			
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)			
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.			
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.			
	- VOC (2010/75/CE)	0 %			
15.2	Chemical safety assessment				
		For this product a chemical safety assessment has not been carried out.			
SECTION 16: Other information					
16.1	Hazard statements (SECTION 3)				

(5)

H411 Toxic to aquatic life with long lasting effects.H318 Causes serious eye damage.H304 May be fatal if swallowed and enters airways.H413 May cause long lasting harmful effects to aquatic life.

Date printed 06.03.2023, Revision 06.03.2023



Version 12.0. Supersedes version: 11.0 Page 12 / 12

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

- IUCLID = International Uniform ChemicaL Information Database
- IVIS = In vitro irritation score

LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties. SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.