

ABARTH 500 / 595 / 695

Typ 150 (312)

Schrägheck-Limousine

FIN beginnend ZFA312*, ZFABF1*

2008 - 2023

Alle Abarth-Modelle sind mit einem tiefergelegten Sportfahrwerk ausgestattet. Ab Werk sind zwei Spezifikationen verfügbar :

- schwarz lackierte Schraubenfedern mit linearer Federrate, oder
- rot lackierte Schraubenfedern mit progressiver Federrate.

Die progressiven Schraubenfedern wurden auch mit einigen der von Abarth vertriebenen Upgrade-Kits geliefert.

Die unten aufgeführten Teilenummern sind für Fahrzeuge mit oder ohne Koni FSD-Stoßdämpfer geeignet. Diese adaptiven Dämpfer sind bei einigen Modellen serienmäßig verbaut, bei anderen optional erhältlich. Je nach Modell können sie an der Vorder-, Hinter- oder beiden Achsen montiert werden.

FSD - Frequency Selective Damping.

ABARTH 500

500	Baujahr	Motorleistung		Getriebe	Fahrwerk		ERL-Referenz	
		DIN-PS	kW	Typ	Typ	Niveau	Vorne	Hinten
500 Opening Edition	2008	160 PS	118 kW	M5	Sport	- 20 mm	R23282	R23283
500	07.08 - 07.14	135 PS	99 kW	M5	Sport	- 15 mm	R23016	R23217
500	08.12 - 07.14	140 PS	103 kW	5-MTA	Sport	- 15 mm	R23016	R23217
500 Custom	07.14 - 06.15	135 PS	99 kW	M5	Sport	- 15 mm	R23016	R23217
500 Custom	07.14 - 06.15	140 PS	103 kW	5-MTA	Sport	- 15 mm	R23016	R23217
500 Zerocento	2009	160 PS	118 kW	M5	Sport	- 15 mm	R23016	R23217
500 esseesse	01.09 - 03.13	160 PS	118 kW	M5	Sport	- 20 mm	R23282	R23283

ABARTH 595

595	Baujahr	Motorleistung		Getriebe	Fahrwerk		ERL-Referenz	
		DIN-PS	kW	Typ	Typ	Niveau	Vorne	Hinten
595 Custom	06.15 - 06.16	140 PS	103 kW	M5 / 5-MTA	Sport	- 15 mm	R23016	R23217
595 Turismo	08.12 - 06.16	160 PS	118 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Turismo	06.16 - 03.22	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Turismo	03.22 -	165 PS	121 kW	M5	Sport	- 20 mm	R23282	R23283
595 Competizione	08.12 - 06.15	160 PS	118 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Competizione	06.15 - 06.16	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Competizione	06.16 - 03.22	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 50° Anniversario	2013	180 PS	132 kW	5-MTA	Sport	- 20 mm	R23282	R23283
595	06.16 - 03.22	145 PS	107 kW	M5 / 5-MTA	Sport	- 15 mm	R23016	R23217
595	03.22 -	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Edizione Turini	11.16 - 08.18	165 PS	121 kW	M5	Sport	- 20 mm	R23282	R23283
595 Pista	06.17 - 08.19	160 PS	118 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Pista	11.19 - 12.20	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Monster Energy Yamaha	08.20 - 12.20	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Scorpioneoro	08.20 - 12.20	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 F595	11.21 - 03.22	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 F595	03.22 - 10.22	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 esseesse	11.19 - 12.21	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283

Abarth 695 und Abarth-Kits - nächste Seite →

ABARTH 500 / 595 / 695
Typ 150 (312)
Schrägheck-Limousine
 FIN beginnend ZFA312*, ZFABF1*
 2008 - 2023

ABARTH 695

695	Baujahr	Motorleistung		Getriebe	Fahrwerk		ERL-Referenz	
		DIN-PS	kW	Typ	Typ	Niveau	Vorne	Hinten
695 XSR Yamaha	06.17 - 08.18	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695	03.22 -	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Turismo	03.22 -	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Competizione	03.22 -	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Tributo Ferrari	2010	180 PS	132 kW	5-MTA	Sport	- 20 mm	R23282	R23283
695 50° Anniversario	2013	180 PS	132 kW	5-MTA	Sport	- 20 mm	R23282	R23283
695 Rivale	06.17 - 08.18	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Rivale 175° Anniversario	06.17 - 08.18	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 70° Anniversario	11.19 - 12.21	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Tributo 131 Rally	05.22 - 10.22	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 esseesse	11.21 - 10.22	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Biposto Extreme Shox Gewindefahrwerk	09.14 - 08.18	190 PS	140 kW	M5	Sport	~ mm	-	-
695 Biposto Record Extreme Shox Gewindefahrwerk	2015	190 PS	140 kW	M5	Sport	~ mm	-	-

ABARTH-KITS

	Abarth Kit-Nr.	Verwendung	ERL-Referenz	
			Vorne	Hinten
Abarth Kit >>esseesse<< mit LM-Felgen in Weiß	5741900	500	R23282	R23283
Abarth Kit >>esseesse<< mit LM-Felgen in Titan	5741901	500	R23282	R23283
Abarth Kit >>Assetto Koni<<	5744630	500/595 Custom	R23282	R23283
Abarth Kit >>esseesse Koni<< mit LM-Felgen in Weiß	5743644	500/500 Custom/595 Custom	R23282	R23283
Abarth Kit >>esseesse Koni<< mit LM-Felgen in Titan	5743645	500/595 Custom	R23282	R23283
Abarth Kit >>595<<	5744686	500	R23282	R23283
Abarth Kit >>695 Brembo Koni<< mit LM-Felgen in Titan	5743801	500/595 Custom	R23282	R23283
Abarth Kit >>695 Brembo Koni<< mit LM-Felgen in Schwarz	5743813	500/595 Custom	R23282	R23283
Abarth Kit >>695 Brembo Koni<< mit LM-Felgen in Magnesium	5744626	500/595 Custom	R23282	R23283
Abarth Kit >>Potenza<<	5744686	595 Custom	R23282	R23283

FEDERDATEN

	ERL-Referenz	Original-Ersatzteil-Nummer	Federrate	Farbe
Fahrwerksfeder, Vorderachse	R23016	52043227, 52012541, 51857013, 50710259	linear	schwarz
Fahrwerksfeder, Vorderachse	R23282	5744687, 51939103, 5741444	progressiv	rot
Fahrwerksfeder, Hinterachse	R23217	52060127, 51805424, 52012538	linear	schwarz
Fahrwerksfeder, Hinterachse	R23283	5744688, 5939102, 5741445	progressiv	rot

Die angegebenen Original Ersatzteil- und Herstellernummern dienen nur zu Vergleichszwecken.

ABARTH 500 / 595 / 695

Type 150 (312)

Hatchback

VIN beginning ZFA312*, ZFABF1*

2008 - 2023

All Abarth models are equipped with lowered sports suspension. Two specifications are available ex factory :

- black painted coil springs with linear spring rate, or
- red painted coil springs with progressive spring rate.

The progressive rate coil springs were also supplied with some of the upgrade kits available from Abarth.

The part numbers listed below are suitable for vehicles with or without Koni FSD shock absorbers. These adaptive dampers are installed on some models and are available as an option on others. Depending on the model, they can be mounted on the front, rear or both axles.

FSD - Frequency Selective Damping.

ABARTH 500

500	Year	Power		Transmission	Suspension		ERL-Reference	
		DIN-PS	kW	Type	Type	Niveau	Front	Rear
500 Opening Edition	2008	160 PS	118 kW	M5	Sport	- 20 mm	R23282	R23283
500	07.08 - 07.14	135 PS	99 kW	M5	Sport	- 15 mm	R23016	R23217
500	08.12 - 07.14	140 PS	103 kW	5-MTA	Sport	- 15 mm	R23016	R23217
500 Custom	07.14 - 06.15	135 PS	99 kW	M5	Sport	- 15 mm	R23016	R23217
500 Custom	07.14 - 06.15	140 PS	103 kW	5-MTA	Sport	- 15 mm	R23016	R23217
500 Zerocento	2009	160 PS	118 kW	M5	Sport	- 15 mm	R23016	R23217
500 esseesse	01.09 - 03.13	160 PS	118 kW	M5	Sport	- 20 mm	R23282	R23283

ABARTH 595

595	Year	Power		Transmission	Suspension		ERL-Reference	
		DIN-PS	kW	Type	Type	Niveau	Front	Rear
595 Custom	06.15 - 06.16	140 PS	103 kW	M5 / 5-MTA	Sport	- 15 mm	R23016	R23217
595 Turismo	08.12 - 06.16	160 PS	118 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Turismo	06.16 - 03.22	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Turismo	03.22 -	165 PS	121 kW	M5	Sport	- 20 mm	R23282	R23283
595 Competizione	08.12 - 06.15	160 PS	118 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Competizione	06.15 - 06.16	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Competizione	06.16 - 03.22	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 50° Anniversario	2013	180 PS	132 kW	5-MTA	Sport	- 20 mm	R23282	R23283
595	06.16 - 03.22	145 PS	107 kW	M5 / 5-MTA	Sport	- 15 mm	R23016	R23217
595	03.22 -	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Edizione Turini	11.16 - 08.18	165 PS	121 kW	M5	Sport	- 20 mm	R23282	R23283
595 Pista	06.17 - 08.19	160 PS	118 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Pista	11.19 - 12.20	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Monster Energy Yamaha	08.20 - 12.20	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 Scorpioneoro	08.20 - 12.20	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 F595	11.21 - 03.22	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 F595	03.22 - 10.22	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
595 esseesse	11.19 - 12.21	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283

Abarth 695 and Abarth-Kits - next page →

ABARTH 500 / 595 / 695

Type 150 (312)

Hatchback

VIN beginning ZFA312*, ZFABF1*

2008 - 2023

ABARTH 695

695	Year	Power		Transmission	Suspension		ERL-Reference	
		DIN-PS	kW	Type	Type	Niveau	Front	Rear
695 XSR Yamaha	06.17 - 08.18	165 PS	121 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695	03.22 -	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Turismo	03.22 -	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Competizione	03.22 -	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Tributo Ferrari	2010	180 PS	132 kW	5-MTA	Sport	- 20 mm	R23282	R23283
695 50° Anniversario	2013	180 PS	132 kW	5-MTA	Sport	- 20 mm	R23282	R23283
695 Rivale	06.17 - 08.18	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Rivale 175° Anniversario	06.17 - 08.18	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 70° Anniversario	11.19 - 12.21	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Tributo 131 Rally	05.22 - 10.22	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 esseesse	11.21 - 10.22	180 PS	132 kW	M5 / 5-MTA	Sport	- 20 mm	R23282	R23283
695 Biposto Extreme Shox coil over suspension	09.14 - 08.18	190 PS	140 kW	M5	Sport	~ mm	-	-
695 Biposto Record Extreme Shox coil over suspension	2015	190 PS	140 kW	M5	Sport	~ mm	-	-

ABARTH-KITS

	Abarth Kit-No.	Application	ERL-Reference	
			Front	Rear
Abarth Kit >>esseesse<< with alloy-wheel in white	5741900	500	R23282	R23283
Abarth Kit >>esseesse<< with alloy-wheel in titanium	5741901	500	R23282	R23283
Abarth Kit >>Assetto Koni<<	5744630	500/595 Custom	R23282	R23283
Abarth Kit >>esseesse Koni<< with alloy-wheel in white	5743644	500/500 Custom/595 Custom	R23282	R23283
Abarth Kit >>esseesse Koni<< with alloy-wheel in titanium	5743645	500/595 Custom	R23282	R23283
Abarth Kit >>595<<	5744686	500	R23282	R23283
Abarth Kit >>695 Brembo Koni<< with alloy-wheel in titanium	5743801	500/595 Custom	R23282	R23283
Abarth Kit >>695 Brembo Koni<< with alloy-wheel in black	5743813	500/595 Custom	R23282	R23283
Abarth Kit >>695 Brembo Koni<< with alloy-wheel in magnesium	5744626	500/595 Custom	R23282	R23283
Abarth Kit >>Potenza<<	5744686	595 Custom	R23282	R23283

Spring Data

	ERL-Reference	Original Equipment Part No.	Spring Rate	Colour
Coil spring, front axle	R23016	52043227, 52012541, 51857013, 50710259	linear	black
Coil spring, front axle	R23282	5744687, 51939103, 5741444	progressive	red
Coil spring, rear axle	R23217	52060127, 51805424, 52012538	linear	black
Coil spring, rear axle	R23283	5744688, 5939102, 5741445	progressive	red

The original manufacturer part numbers are provided for comparison purposes only.