

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**SWAG 10 94 7716 automatic transmission fluid (ATF)**  
**Article number 10 94 7716**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Lubricant

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** SWAG Autoteile GmbH  
Am Kiesberg 4-6  
42117 Wuppertal / GERMANY  
Phone +49 (0)202 26454-0  
Fax +49 (0)202 26454-5000  
Homepage [www.swag.de](http://www.swag.de)  
E-mail [info@swag.de](mailto:info@swag.de)

#### Address enquiries to

**Technical information** [info@swag.de](mailto:info@swag.de)

**Safety Data Sheet** [info@swag.de](mailto:info@swag.de)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (english)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.

### 2.2 Label elements

The product is required to be labelled in accordance with GHS/CLP-Directives.

#### Hazard pictograms



#### Signal word

DANGER

#### Contains:

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

#### Hazard statements

H304 May be fatal if swallowed and enters airways.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.  
P331 Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents / container to in accordance with local / regional / national / international regulation.

### 2.3 Other hazards

#### Physico-chemical hazards

No particular hazards known.

#### Human health dangers

Frequent persistent contact with the skin can cause skin irritation.  
If swallowed or in the event of vomiting, risk of product entering the lungs.

#### Environmental hazards

Does not contain any PBT or vPvB substances.

#### Other hazards

No particular hazards known.

### SECTION 3: Composition / Information on ingredients

#### Product-type:

The product is a mixture.

Range [%]	Substance
50 - < 100	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304

#### Comment on component parts

For full text of H-statements: see SECTION 16.  
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Change soaked clothing.

##### Inhalation

Ensure supply of fresh air.  
In the event of symptoms seek medical treatment.

##### Skin contact

When in contact with the skin, clean with soap and water.  
Consult a doctor if skin irritation persists.

##### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

##### Ingestion

Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.  
Seek medical advice immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Forward this sheet to the doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide.

##### Extinguishing media that must not be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.  
Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.  
Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

## 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

## 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance within the regulations.

## 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid formation of aerosols.  
The product is combustible.  
Do not eat, drink or smoke when using this product.  
Use barrier skin cream.  
Wash hands before breaks and after work.  
Cloths contaminated with product should not be kept in trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Keep container tightly closed.  
Keep container in a well-ventilated place.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

not applicable

#### PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg.

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation.
<b>Eye protection</b>	If there is a risk of splashing: Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Neoprene, >480 min (EN 374). > 0,4 mm: Nitrile rubber, >480 min (EN 374).
<b>Skin protection</b>	Light protective clothing.
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
<b>Thermal hazards</b>	none
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	liquid
<b>Color</b>	colourless
<b>Odor</b>	characteristic
<b>Odour threshold</b>	not determined
<b>pH-value</b>	not applicable
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	not determined
<b>Flash point [°C]</b>	202
<b>Flammability (solid, gas) [°C]</b>	not determined
<b>Lower explosion limit</b>	not applicable
<b>Upper explosion limit</b>	not applicable
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	not determined
<b>Density [g/ml]</b>	0,83 (15 °C / 59,0 °F)
<b>Bulk density [kg/m<sup>3</sup>]</b>	not applicable
<b>Solubility in water</b>	immiscible
<b>Partition coefficient [n-octanol/water]</b>	not determined
<b>Viscosity</b>	17,5 mm <sup>2</sup> /s (40°C)
<b>Relative vapour density determined in air</b>	not determined
<b>Evaporation speed</b>	not determined
<b>Melting point [°C]</b>	not determined
<b>Autoignition temperature [°C]</b>	not determined
<b>Decomposition temperature [°C]</b>	not determined

### 9.2 Other information

Solidification temperature: -45 °C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

## 10.2 Chemical stability

The product is stable under standard conditions.

## 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

## 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

Strong oxidizing agent.  
Acids  
See SECTION 10.3.

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, dermal, Rabbit: > 5000 mg/kg.
LD50, oral, Rat: > 5000 mg/kg.

<b>Serious eye damage/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Skin corrosion/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Respiratory or skin sensitisation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — single exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are fulfilled. May be fatal if swallowed and enters airways.
<b>General remarks</b>	

Toxicological data of complete product are not available.  
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## SECTION 12: Ecological information

### 12.1 Toxicity

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	not determined
<b>Behaviour in sewage plant</b>	not determined
<b>Biological degradability</b>	The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

Dispose of as hazardous waste.  
Coordinate disposal with the authorities if necessary.  
In according to RoHS!

#### Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

#### Waste no. (recommended)

150102  
150104  
150110\*

## SECTION 14: Transport information

### 14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

#### 14.4 Packing group

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID	no
Inland navigation (ADN)	no
Marine transport in accordance with IMDG	no
Air transport in accordance with IATA	no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2016).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	not applicable
- VOC (1999/13/CE)	0%

### 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

### 16.1 Hazard statements (SECTION 03)

H304 May be fatal if swallowed and enters airways.

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified Chemical Substances  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
TLV@/TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

#### Classification procedure

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data)

#### Modified position

none



**Safety Data Sheet 1907/2006/EC - REACH (GB)**  
**SWAG 10 94 7716 automatic transmission fluid (ATF)**  
**Article number 10 94 7716**  
**SWAG Autoteile GmbH**  
**42117 Wuppertal**

Date printed 10.02.2016, Revision 22.10.2015



Version 01

Page 9 / 9