



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Gear oil 75W - 80**  
**Article number: 33 10 6391**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** SWAG Autoteile GmbH  
Am Kiesberg 4-6  
42117 Wuppertal / GERMANY  
Phone +49 (0)202 26454-0  
Fax +49 (0)202 26454-5000  
Homepage [www.swag.de](http://www.swag.de)  
E-mail [info@swag.de](mailto:info@swag.de)

#### Address enquiries to

**Technical information** [info@swag.de](mailto:info@swag.de)

**Safety Data Sheet** [info@swag.de](mailto:info@swag.de)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

**Hazard pictograms** none

**Signal word** none

**Hazard statements** none

**Special labelling** EUH210 Safety data sheet available on request.

Contains: 3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid. EUH208 May produce an allergic reaction.

### 2.3 Other hazards

**Environmental hazards** Does not contain any PBT or vPvB substances.  
Contains no ingredients with endocrine-disrupting properties.

**Other hazards** No particular hazards known.

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

not applicable



### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - < 10	Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt) CAS: 64742-65-0, EINECS/ELINCS: 265-169-7, Reg-No.: 01-2119471299-27-XXXX GHS/CLP: Asp. Tox. 1: H304
0.1 - < 0.93	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EINECS/ELINCS: 931-384-6, Reg-No.: 01-2119493620-38 GHS/CLP: Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411 SCL [%]: > 50: Eye Dam. 1: H318, >= 9.39: Skin Sens. 1B: H317, > 50: Eye Irrit. 2: H319
0.1 - 1	3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid CAS: 268567-32-4, EINECS/ELINCS: 434-070-2, Reg-No.: 01-2119658068-31 GHS/CLP: Eye Dam. 1: H318 - Skin Sens. 1B: H317 - Aquatic Chronic 3: H412

#### Comment on component parts

Contains less than 3% w/w DMSO-extract (only for mineral oils)  
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>General information</b>	Change soaked clothing.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Do not induce vomiting. Consult a doctor immediately. Rinse out mouth and give plenty of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

Headache

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Forward this sheet to your doctor.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Foam, dry powder, water spray jet, carbon dioxide.
<b>Extinguishing media that must not be used</b>	Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)  
Sulphur oxides (SOx).  
Nitrogen oxides (NOx).



### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures necessary if used correctly.  
Use only in well-ventilated areas.  
Use solvent-resistant equipment.

The product is combustible.

Do not eat, drink or smoke when using this product.  
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.  
Use barrier skin cream.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.  
Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

not relevant

#### DNEL

Substance
3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid, CAS: 268567-32-4
Industrial, dermal, Long-term - systemic effects, 1.25 mg/kg bw/d (AF=100)
Industrial, inhalative, Long-term - systemic effects, 4.4 mg/m <sup>3</sup> (AF=25)
general population, oral, Long-term - systemic effects, 0.6 mg/kg bw/d (AF=200)
general population, dermal, Long-term - systemic effects, 0.6 mg/kg bw/d (AF=200)
general population, inhalative, Long-term - systemic effects, 1.1 mg/m <sup>3</sup> (AF=50)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
general population, oral, Long-term - local effects, 740 µg/kg bw/day
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
Industrial, dermal, Long-term - systemic effects, 12.5 mg/kg bw/d (AF=120)
Industrial, inhalative, Long-term - systemic effects, 4.28 mg/m <sup>3</sup> (AF=30)
general population, oral, Long-term - systemic effects, 0.25 mg/kg bw/d (AF=600)
general population, dermal, Long-term - systemic effects, 6.25 mg/kg bw/d (AF=240)
general population, inhalative, Long-term - systemic effects, 1.09 mg/m <sup>3</sup> (AF=60)

#### PNEC

Substance
3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid, CAS: 268567-32-4
soil, 4.54 mg/kg dw
sediment (seawater), 2.3 mg/kg dw
sediment (freshwater), 23 mg/kg dw
sewage treatment plants (STP), 10 mg/l (AF=10)
seawater, 0.007 mg/L (AF=500)
freshwater, 0.072 mg/L (AF=50)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
oral (food), 9.33 mg/kg food
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
oral (food), 10 mg/kg dw (AF=300)
soil, 1.17 µg/kg dw
sediment (seawater), 1.29 µg/kg dw
sediment (freshwater), 12.9 µg/kg dw
sewage treatment plants (STP), 24.33 mg/L (AF=100)
seawater, 0.24 µg/L (AF=500)
freshwater, 2.4 µg/L (AF=50)



## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Light protective clothing.
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	not applicable
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid
<b>Form</b>	liquid
<b>Color</b>	yellowish
<b>Odor</b>	characteristic
<b>Odour threshold</b>	No information available.
<b>pH-value</b>	not applicable
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	not applicable
<b>Flash point [°C]</b>	241
<b>Flammability (solid, gas) [°C]</b>	Not explosive.
<b>Lower explosion limit</b>	not self-igniting
<b>Upper explosion limit</b>	not applicable
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	No information available.
<b>Density [g/cm³]</b>	0.85 (20 °C / 68,0 °F)
<b>Relative density</b>	not determined
<b>Bulk density [kg/m³]</b>	not applicable
<b>Solubility in water</b>	immiscible
<b>Solubility other solvents</b>	No information available.
<b>Partition coefficient [n-octanol/water]</b>	No information available.
<b>Kinematic viscosity</b>	56 mm²/s 40°C (DIN 51562)
<b>Relative vapour density</b>	No information available.
<b>Evaporation speed</b>	No information available.
<b>Melting point [°C]</b>	No information available.
<b>Auto-ignition temperature [°C]</b>	not applicable
<b>Decomposition temperature [°C]</b>	No information available.
<b>Particle characteristics</b>	No information available.



## 9.2 Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

Reactions with strong alkalis.

Reactions with strong acids.

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

Strong oxidizing agent.

See SECTION 10.3.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Substance
3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid, CAS: 268567-32-4
LD50, oral, Rat, > 2000 mg/kg bw
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LD50, oral, Rat, 5000 mg/kg bw
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
LD50, oral, Rat, 2000 mg/kg

#### Acute dermal toxicity

Substance
3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid, CAS: 268567-32-4
LD50, dermal, Rat, > 2000 mg/kg bw
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

#### Acute inhalational toxicity

Substance
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

#### Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
Eye, non-irritating

#### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
dermal, non-irritating

#### Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.  
May produce an allergic reaction.  
Calculation method

Substance
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
dermal, non-sensitizing

#### Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

#### Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEL, inhalative, Rat, 980 mg/m <sup>3</sup> air

LOAEL, oral, Rat, 125 mg/kg bw/day
------------------------------------

**Mutagenicity**

Based on the available information, the classification criteria are not fulfilled.

Substance
-----------

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
--

in vitro, negativ
-------------------

**Reproduction toxicity**

Based on the available information, the classification criteria are not fulfilled.

**- Fertility**

Substance
-----------

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
--

NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed
---

**- Development**

No information available.

**Carcinogenicity**

Based on the available information, the classification criteria are not fulfilled.

**Aspiration hazard**

Based on the available information, the classification criteria are not fulfilled.

**General remarks**

The toxicological data are those of the pure product.

**11.2 Information on other hazards****Endocrine disrupting properties**

Contains no ingredients with endocrine-disrupting properties.

**Other information**

none

**SECTION 12: Ecological information****12.1 Toxicity**

Substance
-----------

3-(Diisobutoxy-thiophosphorylsulfanyl)-2-methyl-propionic acid, CAS: 268567-32-4
--

LC50, (96h), fish, 54 mg/l
----------------------------

EC50, (48h), Daphnia magna, 53 mg/l
-------------------------------------

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
--

NOELR, (14d), fish, 1 g/L
---------------------------

LL50, (96h), Invertebrates, 10 g/L
------------------------------------

LL50, (96h), fish, 100 mg/L
-----------------------------

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
---

LC50, (96h), fish, 24 mg/l
----------------------------

EC50, (48h), Daphnia magna, 91.4 mg/l
---------------------------------------

**12.2 Persistence and degradability****Behaviour in environment compartments**

not determined

**Behaviour in sewage plant**

not determined

**Biological degradability**

not determined

**12.3 Bioaccumulative potential**

No information available.





#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

#### 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

##### Product

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

##### Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

##### Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

##### Waste no. (recommended)

150110\* packaging containing residues of or contaminated by hazardous substances

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable



#### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EEC-REGULATIONS</b>	2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014
<b>TRANSPORT-REGULATIONS</b>	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)
<b>NATIONAL REGULATIONS (GB):</b>	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	not relevant

### 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.  
H302 Harmful if swallowed.  
H412 Harmful to aquatic life with long lasting effects.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H304 May be fatal if swallowed and enters airways.



## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

### Classification procedure

### Modified position

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.