

Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0 Page 1 / 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

antifreeze 12++

Article number: 30937402, 30937401, 30937400

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

121 Relevantuses

Anti-freezing agents

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

## 1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H302 Harmful if swallowed.

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

Eye Irrit. 2: H319 Causes serious eye irritation.

#### 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms





Hazard statements H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

H319 Causes serious eye irritation.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P260 Do not breathe vapours.

P270 Do no eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.

P314 Get medical advice / attention if you feel unwell.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice / attention.



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0 Page 2 / 12

#### 2.3 Other hazards

**Environmental hazards**Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

#### **SECTION 3: Composition / Information on ingredients**

#### 3.1 Substances

not applicable

#### 3.2 Mixtures

#### The product is a mixture.

Range [%]	Substance	
75 - < 100	Ethylene glycol	
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1	
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373	
1 - < 3	potassium 2-ethylhexanoate	
	CAS: 3164-85-0, EINECS/ELINCS: 221-625-7, Reg-No.: 01-2119980714-29-XXXX	
	GHS/CLP: Repr. 2: H361d - Eye Dam. 1: H318 - Skin Irrit. 2: H315	
0.1 - < 0.3	Methyl-1H-benzotriazole	
	CAS: 29385-43-1, EINECS/ELINCS: 249-596-6, Reg-No.: 01-2119979081-35-XXXX	
	GHS/CLP: Acute Tox. 4: H302 - Aquatic Chronic 2: H411 - Repr. 2: H361d	

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Remove person to fresh air and keep comfortable for breathing.

In the event of symptoms seek medical treatment.

**Skin contact** In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to your doctor. Monitor kidney function and hematology.



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0

Page 3 / 12

## **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible. Fire extinguishing method of surrounding areas must be

considered

Extinguishing media that must not

be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provide suitable vacuuming at the processing area.

Take off contaminated clothing and wash before reuse.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0 Page 4 / 12

## **SECTION 8: Exposure controls / personal protection**

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1

Long-term exposure: 20 ppm, 52 mg/m³, Vapour, particulate: 10 mg/m³

Short-term exposure (15-minute): 40 ppm, 104 mg/m<sup>3</sup>

# Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES

Ethylene glycol

CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1

Eight hours: 20 ppm, 52 mg/m3, H

Short-term (15-minute): 40 ppm, 104 mg/m<sup>3</sup>

#### **DNEL**

_		
C	bstance	
ou	DSIANCE	

potassium 2-ethylhexanoate, CAS: 3164-85-0

Industrial, dermal, Long-term - systemic effects, 5.95 mg/kg bw/d

Industrial, inhalative, Long-term - systemic effects, 32 mg/m<sup>3</sup>

general population, oral, Long-term - systemic effects, 2.5 mg/kg bw/d

general population, dermal, Long-term - systemic effects, 2.98 mg/kg bw/d

general population, inhalative, Long-term - systemic effects, 8 mg/m³

Methyl-1H-benzotriazole, CAS: 29385-43-1

Industrial, dermal, Long-term - systemic effects, 300 µg/kg bw/day

Industrial, inhalative, Long-term - systemic effects, 21.2 mg/m³

general population, oral, Long-term - systemic effects, 10 µg/kg bw/day

general population, dermal, Long-term - systemic effects, 10 µg/kg bw/day

general population, inhalative, Long-term - systemic effects, 350 µg/m<sup>3</sup>

#### **PNEC**

#### Substance

potassium 2-ethylhexanoate, CAS: 3164-85-0

soil, 1.06 mg/kg

sediment (seawater), 637 µg/kg

sediment (freshwater), 6.37 mg/kg

sewage treatment plants (STP), 71.7 mg/L

seawater, 36 µg/L

freshwater, 360 µg/L

Methyl-1H-benzotriazole, CAS: 29385-43-1

soil, 18.7 µg/kg soil dw

sediment (seawater), 292 µg/kg sediment dw

sediment (freshwater), 117 µg/kg sediment dw

sewage treatment plants (STP), 39.4 mg/L

seawater, 20 µg/L

freshwater, 8 µg/L



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0 Page 5 / 12

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** Safety glasses. (EN 166:2001)

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

**Skin protection** Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Do not inhale vapours.

**Respiratory protection** Respiratory protection mask in the event of high concentrations.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColormagentaOdorcharacteristic

Odour threshold No information available.

**pH-value** 7.5 - 8.8 (33%)

pH-value [1%]

Boiling point [°C]

No information available.

No information available.

> 100 (DIN 51758)

Flammability (solid, gas) [°C]

not applicable

Lower explosion limitNo information available.Upper explosion limitNo information available.

Oxidising properties no

Particle characteristics

Vapour pressure/gas pressure [kPa] <0.01 (20°C)

**Density [g/cm³]** ca. 1.12 (DIN 51757) (20 °C / 68,0 °F)

Relative density not determined
Bulk density [kg/m³] not applicable
Solubility in water miscible

Solubility other solvents No information available. Partition coefficient [n-octanol/water] No information available Kinematic viscosity No information available. Relative vapour density No information available. **Evaporation speed** No information available. Melting point [°C] No information available. Auto-ignition temperature [°C] No information available. Decomposition temperature [°C] No information available.

No information available.



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0 Page 6 / 12

## 9.2 Other information

No information available.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reactions known if used as directed.

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

## 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with acids.

## 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

Oxidizing agent Acids

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0 Page 7 / 12

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product

ATE-mix, oral, 537.4 mg/kg bw

Substance

Ethylene glycol, CAS: 107-21-1

LD50, oral, Rat, 4700 mg/kg

LDLo, oral, Human, ca. 1600 mg/kg Lit.

potassium 2-ethylhexanoate, CAS: 3164-85-0

LD50, oral, Rat, 2043 mg/kg bw

Methyl-1H-benzotriazole, CAS: 29385-43-1

LD50, oral, Rat, 720 mg/kg

NOAEL, oral, Rat, 150 mg/kg bw/day

#### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

LD50, dermal, mouse, > 3500 mg/kg Lit.

potassium 2-ethylhexanoate, CAS: 3164-85-0

LD50, dermal, Rabbit, 2000 mg/kg bw

Methyl-1H-benzotriazole, CAS: 29385-43-1

LD50, dermal, Rabbit, 2000 mg/kg bw

#### Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Ethylene glycol, CAS: 107-21-1

LC50, inhalative, Rat, > 200 mg/m<sup>3</sup> 4h

potassium 2-ethylhexanoate, CAS: 3164-85-0

LC50, inhalative, Rat, 110 mg/m³ (8 h)

Serious eye damage/irritation

Toxicological data of complete product are not available.

Irritant

Calculation method

Substance

potassium 2-ethylhexanoate, CAS: 3164-85-0

Eye, in vitro / ex vivo, OECD 437, corrosive

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

potassium 2-ethylhexanoate, CAS: 3164-85-0



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0

Page 8 / 12

Rabbit, in vivo, OECD 404, irritant

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

Based on the available information, the classification criteria are not fulfilled.

single exposure

Toxicological data of complete product are not available.

Specific target organ toxicity — repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Calculation method

Substance

Ethylene glycol, CAS: 107-21-1

NOAEL, dermal, Dog, 2200 mg/kg bw/day, adverse effect observed

NOAEL, oral, Rat, 150 mg/kg bw/day, adverse effect observed

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

potassium 2-ethylhexanoate, CAS: 3164-85-0

NOAEL, Rat, 300 mg/kg bw/day (P0)

- Development

Substance

potassium 2-ethylhexanoate, CAS: 3164-85-0

NOAEL, Rat, 300 mg/kg bw/day (P0)

**Carcinogenicity** Based on the available information, the classification criteria are not fulfilled.

**Aspiration hazard** 

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

**Endocrine disrupting properties** 

Contains no ingredients with endocrine-disrupting properties.

Other information

none

Product



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0 Page 9 / 12

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Floudet		
Based on the available information, the classification criteria are not fulfilled.		
Substance		
Ethylene glycol, CAS: 107-21-1		
LC50, (96h), fish, 41000 mg/l		
EC50, (48h), Daphnia magna, 34250 mg/l		
potassium 2-ethylhexanoate, CAS: 3164-85-0		
LC50, (96h), fish, 100 mg/L		
EC50, (6d), Algae, 49.3 mg/L		
EC50, (48h), Crustacea, 85.4 mg/L		
Methyl-1H-benzotriazole, CAS: 29385-43-1		
LC50, (96h), fish, 55 - 180 mg/L		
EC50, (72h), Algae, 29 - 75 mg/L		
EC50, (48h), Invertebrates, 8.58 - 15.8 mg/L		
NOEC, (21d), Invertebrates, 18.4 mg/L		

#### 12.2 Persistence and degradability

Behaviour in environment

compartments

Behaviour in sewage plant No information available.

Biological degradability No information available.

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

#### 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0 Page 10 / 12

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Dispose of as hazardous waste.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

160114\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\* packaging containing residues of or contaminated by hazardous substances

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Transport by land according to ADR/RID

Inland navigation (ADN)

not applicable

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

## 14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable



Date printed 07.03.2023, Revision 07.03.2023 Version 12.0. Supersedes version: 11.0 Page 11 / 12

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN) no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe  $\,$ 

employment restrictions for young people.

**- VOC (2010/75/CE)** 90 - <100

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

**SECTION 16: Other information** 

16.1 Hazard statements (SECTION 3)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects.

H373 May cause damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed.



Date printed 07.03.2023, Revision 07.03.2023

Version 12.0. Supersedes version: 11.0 Page 12 / 12

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

Classification procedure Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

(Calculation method)

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.